























Vehicle model	DAILY 2.3 35S12 / 35S14 / 35S16 / 35C12 / 35C14 / 35C16	DAILY 2.3 35S12 / 35S14 / 35S16 / 35C12 / 35C14 / 35C16	DAILY 2.3 35S12 / 35S14 / 35S16 / 35C12 / 35C14 / 35C16			
Year	(09/2019>)	(09/2019>)	(09/2019>)			
Engine Type	F1AGL411X (Euro 6d-temp) F1AGL411Y (Euro 6d-temp) F1AGL411W (Euro 6d-temp) F1AGL411U (Euro 6d-temp)	F1AGL411X (Euro 6d-temp) F1AGL411Y (Euro 6d-temp) F1AGL411W (Euro 6d-temp) F1AGL411U (Euro 6d-temp)	F1AGL411X (Euro 6d-temp) F1AGL411Y (Euro 6d-temp) F1AGL411W (Euro 6d-temp) F1AGL411U (Euro 6d-temp)			
CV(kW) @ rpm	116 (85) @ 3.600 136 (100) @ 3.600 156 (115) @ 3.600	116 (85) @ 3.600 136 (100) @ 3.600 156 (115) @ 3.600	116 (85) @ 3.600 136 (100) @ 3.600 156 (115) @ 3.600			
N. of cylinders/cm3	4 / 2.287	4 / 2.287	4 / 2.287			
Volts	12	12	12			
Air Conditioning	Vehicles with or without A/C	Vehicles with or without A/C	Only Vehicles without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD7H15 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15			
Comments	- KIT NOT SUITABLE FOR OVERSIZED OIL SUMP IVECO OPTION. Ref. 72617 - "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15 / SD7L15 - UNICLA: Clutch drive plate Ø120 not suitable. - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. - Can be fit on AWD vehicles - Model 35S16 / 35C16 can also be equipped with the 3.0l engine	- KIT SUITABLE FOR OVERSIZED OIL SUMP IVECO OPTION. Ref. 72617 - "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15 / SD7L15 - UNICLA: Clutch drive plate Ø120 not suitable. - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. - Can be fit on AWD vehicles - Model 35S16 / 35C16 can also be equipped with the 3.0l engine - Not suitable for front suspension QTOR.	- KIT SUITABLE FOR OVERSIZED OIL SUMP IVECO OPTION. Ref. 72617 - Can be fit in right hand drive vehicles - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. - Can be fit on AWD vehicles - Model 35S16 / 35C16 can also be equipped with the 3.0l engine			
Clutch type	With clutch pulley	With clutch pulley	Without clutch pulley			
	1A Ø147 3.380 rpm	1A Ø147 3.380 rpm	2A Ø135 3.386 rpm			
Kit No.	KC15070400E/S	KC18070465E/S	KC05100040			
Last update	2019-12-13	2019-12-17	2019-07-29			







<b>Vehicle model</b>	DAILY 3.0 35S16 / 35C16 / 50C16 / 60C16 / 65C16 / 70C16 35S18 / 35C18 / 50C18 / 60C18 / 65C18 / 70C18 35S21 / 35C21 / 50C21 / 60C21 / 70C21 35S14 / 35C14 / 50C14 / 60C14 / 65C14 / 70C14 - <b>CNG / NPW</b>		DAILY 3.0 35S16 / 35C16 / 50C16 / 60C16 / 65C16 / 70C16 35S18 / 35C18 / 50C18 / 60C18 / 65C18 / 70C18 35S21 / 35C21 / 50C21 / 60C21 / 70C21 35S14 / 35C14 / 50C14 / 60C14 / 65C14 / 70C14 - <b>CNG / NPW</b>	
<b>Year</b>	(09/2019>)		(09/2019>)	
<b>Engine Type</b>	F1CFL4116 (Euro 6d-temp) F1CFL4117 (Euro 6d-temp) F1CFL4115 (Euro 6d-temp) <b>F1CFA401C (CNG)</b>		F1CFL4116 (Euro 6d-temp) F1CFL4117 (Euro 6d-temp) F1CFL4115 (Euro 6d-temp) <b>F1CFA401C (CNG)</b>	
<b>CV(kW) @ rpm</b>	160 (118) @ 3.500 180 (132) @ 3.500 210 (154) @ 3.500 136 (100) @ 3.500		160 (118) @ 3.500 180 (132) @ 3.500 210 (154) @ 3.500 136 (100) @ 3.500 (methanol supply)	
<b>N. of cylinders/cm3</b>	4 / 2.998		4 / 2.998	
<b>Volts</b>	12		12	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
				
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15		TM 21 QP 21	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Kit with two automatic tensioners</li> <li>- Model 35S16 / 35C16 can also be equipped with the 2.3l engine</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Kit with two automatic tensioners</li> <li>- Recommended fittings 135°</li> </ul>	
<b>Clutch type</b>	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø137 2.810 rpm
<b>Kit No.</b>	KC15070398		KC15070399	
<b>Kit No.</b>	KC15070398E		KC15070399E	
<b>Last update</b>	2019-10-03		2019-11-22	







<b>Vehicle model</b>	DAILY 3.0 35S16 / 35C16 / 50C16 / 60C16 / 65C16 / 70C16 35S18 / 35C18 / 50C18 / 60C18 / 65C18 / 70C18 35S21 / 35C21 / 50C21 / 60C21 / 70C21 35S14 / 35C14 / 50C14 / 60C14 / 65C14 / 70C14 - <b>CNG / NPW</b>	DAILY 3.0 35S16 / 35C16 / 50C16 / 60C16 / 65C16 / 70C16 35S18 / 35C18 / 50C18 / 60C18 / 65C18 / 70C18 35S21 / 35C21 / 50C21 / 60C21 / 70C21 35S14 / 35C14 / 50C14 / 60C14 / 65C14 / 70C14 - <b>CNG / NPW</b>
<b>Year</b>	(09/2019>)	(09/2019>)
<b>Engine Type</b>	F1CFL4116 (Euro 6d-temp) F1CFL4117 (Euro 6d-temp) F1CFL4115 (Euro 6d-temp) <b>F1CFA401C (CNG)</b>	F1CFL4116 (Euro 6d-temp) F1CFL4117 (Euro 6d-temp) F1CFL4115 (Euro 6d-temp) <b>F1CFA401C (CNG)</b>
<b>CV(kW) @ rpm</b>	160 (118) @ 3.500 180 (132) @ 3.500 210 (154) @ 3.500 136 (100) @ 3.500	160 (118) @ 3.500 180 (132) @ 3.500 210 (154) @ 3.500 136 (100) @ 3.500 (methanol supply)
<b>N. of cylinders/cm3</b>	4 / 2.998	4 / 2.998
<b>Volts</b>	12	12
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>
		
<b>Compressors type</b>		
	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170	CSA90 / CSA150
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Original accessories belt conserved/modified crossmember bar</li> </ul>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Not suitable for front suspension QTOR.</li> </ul>
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	Poly-V 8K Ø119 2.941 rpm	1A Ø128 4375 rpm / 1A Ø134 4179 rpm
<b>Kit No.</b>	<b>KC18090468</b>	<b>KC18100469</b>
<b>Last update</b>	2019-10-08	2019-10-28

<b>Vehicle model</b>	DAILY 2.3 30S12 / 30S14 / 30S16 / 33S12 / 33S14 / 33S16 35S12 / 35S14 / 35S16 / 35C12 / 35C14 / 35C16	DAILY 2.3 30S12 / 30S14 / 30S16 / 33S12 / 33S14 / 33S16 35S12 / 35S14 / 35S16 / 35C12 / 35C14 / 35C16
<b>Year</b>	(06/2016>)	(06/2016>)
<b>Engine Type</b>	F1AGL411H (Euro 6) F1AGL411J (Euro 6) F1AGL411G (Euro 6)	F1AGL411H (Euro 6) F1AGL411J (Euro 6) F1AGL411G (Euro 6)
<b>CV(kW) @ rpm</b>	116 (85) @ 3.600 136 (100) @ 3.600 156 (115) @ 3.600	116 (85) @ 3.600 136 (100) @ 3.600 156 (115) @ 3.600
<b>N. of cylinders/cm3</b>	4 / 2.287	4 / 2.287
<b>Volts</b>	12	12
<b>Air Conditioning</b>	Vehicles with or without A/C	Only Vehicles without A/C
<b>Recommended fittings</b>	<i>Suction</i>	<i>Discharge</i>
		
<b>Compressors type</b>	<i>Suction</i>	<i>Discharge</i>
		
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15
<b>Comments</b>	- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15 / SD7L15 - UNICLA: Clutch drive plate Ø120 not suitable. - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. - Can be fit on AWD vehicles - Model 35S16 / 35C16 can also be equipped with the 3.0l engine	- Can be fit in right hand drive vehicles - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. - Can be fit on AWD vehicles - Model 35S16 / 35C16 can also be equipped with the 3.0l engine
<b>Clutch type</b>	With clutch pulley	Without clutch pulley
	1A Ø147 3.380 rpm	2A Ø135 3.386 rpm
<b>Kit No.</b>	KC15070400E/S	KC05100040
<b>Last update</b>	2019-10-13	2019-06-14









<b>Vehicle model</b>	DAILY 3.0 35S15 / 35C15 / 40C15 / 45C15 / 50C15 / 60C15 / 65C15 / 70C15 / 72C15 35S18 / 35C18 / 40C18 / 45C18 / 50C18 / 60C18 / 65C18 / 70C18 / 72C18 35S14 / 35C14 / 40C14 / 50C14 / 60C14 / 65C14 / 70C14 / 72C14 - <b>CNG / NPW</b>		DAILY 3.0 35S15 / 35C15 / 40C15 / 45C15 / 50C15 / 60C15 / 65C15 / 70C15 / 72C15 35S18 / 35C18 / 40C18 / 45C18 / 50C18 / 60C18 / 65C18 / 70C18 / 72C18 35S14 / 35C14 / 40C14 / 50C14 / 60C14 / 65C14 / 70C14 / 72C14 - <b>CNG / NPW</b>	
<b>Year</b>	(09/2014>)		(09/2014>)	
<b>Engine Type</b>	F1CFL411E*A / F1CGL411E*A / F1CGL411A*E (Euro 6) F1CFL411F*A / F1CGL411F*A / F1CGL411B*E (Euro 6) <b>F1CFA401A*A (CNG)</b>		F1CFL411E*A / F1CGL411E*A / F1CGL411A*E (Euro 6) F1CFL411F*A / F1CGL411F*A / F1CGL411B*E (Euro 6) <b>F1CFA401A*A (CNG)</b>	
<b>CV(kW) @ rpm</b>	150 (110) @ 3.500 180 (132) @ 3.500 136 (100) @ 3.500 (methanol supply)		150 (110) @ 3.500 180 (132) @ 3.500 136 (100) @ 3.500 (methanol supply)	
<b>N. of cylinders/cm3</b>	4 / 2.998		4 / 2.998	
<b>Volts</b>	12		12	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
				
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15		TM 21 QP 21	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Kit with two automatic tensioners</li> <li>- Model 35S16 / 35C16 can also be equipped with the 2.3l engine</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Kit with two automatic tensioners</li> <li>- Recommended fittings 135°</li> </ul>	
<b>Clutch type</b>	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø137 2.810 rpm
<b>Kit No.</b>	KC15070398	KC15070398E	KC15070399	KC15070399E
<b>Last update</b>	2020-03-03		2019-11-22	









<b>Vehicle model</b>	DAILY 3.0 35S15 / 35C15 / 40C15 / 45C15 / 50C15 / 60C15 / 65C15 / 70C15 / 72C15 35S18 / 35C18 / 40C18 / 45C18 / 50C18 / 60C18 / 65C18 / 70C18 / 72C18 35S14 / 35C14 / 40C14 / 50C14 / 60C14 / 65C14 / 70C14 / 72C14 - <b>CNG / NPW</b>	DAILY 3.0 35S15 / 35C15 / 40C15 / 45C15 / 50C15 / 60C15 / 65C15 / 70C15 / 72C15 35S18 / 35C18 / 40C18 / 45C18 / 50C18 / 60C18 / 65C18 / 70C18 / 72C18 35S14 / 35C14 / 40C14 / 50C14 / 60C14 / 65C14 / 70C14 / 72C14 - <b>CNG / NPW</b>
<b>Year</b>	(09/2014>)	(09/2014>)
<b>Engine Type</b>	F1CFL411E*A / F1CGL411E*A / F1CGL411A*E (Euro 6) F1CFL411F*A / F1CGL411F*A / F1CGL411B*E (Euro 6) <b>F1CFA401A*A (CNG)</b>	F1CFL411E*A / F1CGL411E*A / F1CGL411A*E (Euro 6) F1CFL411F*A / F1CGL411F*A / F1CGL411B*E (Euro 6) <b>F1CFA401A*A (CNG)</b>
<b>CV(kW) @ rpm</b>	150 (110) @ 3.500 180 (132) @ 3.500 136 (100) @ 3.500 (methanol supply)	150 (110) @ 3.500 180 (132) @ 3.500 136 (100) @ 3.500 (methanol supply)
<b>N. of cylinders/cm3</b>	4 / 2.998	4 / 2.998
<b>Volts</b>	12	12
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>
		
<b>Compressors type</b>		
	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170	CSA90 / CSA150
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Original accessories belt conserved/modified crossmember bar</li> </ul>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> <li>- Can be fit on AWD vehicles</li> <li>- Not suitable for front suspension QTOR.</li> </ul>
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	Poly-V 8K Ø119 2.941 rpm	1A Ø128 4375 rpm / 1A Ø134 4179 rpm
<b>Kit No.</b>	<b>KC18090468</b>	<b>KC18100469</b>
<b>Last update</b>	2018-11-09	2018-10-25













Vehicle model	DAILY 3.0 35S21 / 35C21 / 40C21 / 45C21 50C21 / 60C21 / 65C21 / 70C21 / 72C21		DAILY 3.0 35S21 / 35C21 / 40C21 / 45C21 50C21 / 60C21 / 65C21 / 70C21 / 72C21		DAILY 2.3 33S11 / 35S11 / 35C11 33S13 / 35S13 / 35C13 33S15 / 35S15 / 35C15	
Year	(08/2014>09/2019)		(08/2014>09/2019)		(08/2014>)	
Engine Type	F1CFL411C*E (Euro 6) / F1CGL411C*E (Euro 6)		F1CFL411C*E (Euro 6) / F1CGL411C*E (Euro 6)		F1AFL411A*A (Euro 5b+) F1AFL411B*A (Euro 5b+) F1AFL411C*A (Euro 5b+)	
CV(kW) @ rpm	205 (151) @ 3.500		205 (151) @ 3.500		106 (78) @ 3.900 126 (93) / 146 (107) @ 3.600	
N. of cylinders/cm3	4 / 2.998		4 / 2.998		4 / 2.287	
Volts	12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14		TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15	
Comments	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA; "S"=SANDEN</li> <li>- "S" only for SD7H15 / SD7L15</li> <li>- UNICLA: Clutch drive plate Ø120 not suitable.</li> <li>- Model 35S15 / 35C15 can also be equipped with the 3.0l engineç</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic.</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	With clutch pulley	
	Poly-V Ø119 3.235 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø137 2.810 rpm	1A Ø150 3.048 rpm	
Kit No.	KC14080374		KC14080374E		KC14080377E	
Last update	2019-05-09		2016-05-12		2019-06-10	

Vehicle model	DAILY 2.3 33S11 / 35S11 / 35C11 33S13 / 35S13 / 35C13 33S15 / 35S15 / 35C15	DAILY 3.0 35S15 / 35C15 / 50C15 / 65C15 / 70C15 35S17 / 35C17 / 50C17 / 65C17 / 70C17	DAILY 3.0 35S15 / 35C15 / 50C15 / 65C15 / 70C15 35S17 / 35C17 / 50C17 / 65C17 / 70C17			
Year	(08/2014>)	(09/2014>)	(09/2014>)			
Engine Type	F1AFL411A*A (Euro 5b+) F1AFL411B*A (Euro 5b+) F1AFL411C*A (Euro 5b+)	F1CFL411J*C (Euro 5b+) F1CFL411H*C (Euro 5b+)	F1CFL411J*C (Euro 5b+) F1CFL411H*C (Euro 5b+)			
CV(kW) @ rpm	106 (78) @ 3.900 126 (93) / 146 (107) @ 3.600	146 (107) @ 3.500 170 (125) @ 3.500	146 (107) @ 3.500 170 (125) @ 3.500			
N. of cylinders/cm3	4 / 2.287	4 / 2.998	4 / 2.998			
Volts	12	12	12			
Air Conditioning	Only Vehicles without A/C	Vehicles with or without A/C	Vehicles with or without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15	TM 21 QP 21			
Comments	- Can be fit in right hand drive vehicles - Model 35C15 can also be equipped with the 3.0l engine - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic.	- "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles - Model 35C15 can also be equipped with the 2.3l engine - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398 - Kit with two automatic tensioners	- "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles - Model 35C15 can also be equipped with the 2.3l engine - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398 - Recommended fittings 135°			
Clutch type	Without clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	
	2A Ø135 3.386 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø137 2.810 rpm	
Kit No.	KC05100040	KC15070398	KC15070398E	KC15070399	KC15070399E	
Last update	2019-06-13	2019-10-03		2019-11-22		







Vehicle model	DAILY 3.0 35S21 / 35C21 50C21 / 65C21 / 70C21		DAILY 3.0 35S21 / 35C21 50C21 / 65C21 / 70C21		DAILY 2.3 29L11 / 35S11 / 35C11 / 40C11 29L13 / 35S13 / 35C13 / 40C13 29L15 / 35S15 / 35C15		DAILY 2.3 29L11 / 35S11 / 35C11 / 40C11 29L13 / 35S13 / 35C13 / 40C13 29L15 / 35S15 / 35C15	
Year	(08/2014>09/2019)		(08/2014>09/2019)		(11/2011)		(11/2011)	
Engine Type	F1CFL411G*C (Euro 5b+)		F1CFL411G*C (Euro 5b+)		F1AE3481A (Euro 5) F1AE3481B (Euro 5) F1AE3481C (Euro 5)		F1AE3481A (Euro 5) F1AE3481B (Euro 5) F1AE3481C (Euro 5)	
CV(kW) @ rpm	205 (151) @ 3.500		205 (151) @ 3.500		106 (78) @ 3.900 126 (93) / 146 (107) @ 3.600		106 (78) @ 3.900 126 (93) / 146 (107) @ 3.600	
N. of cylinders/cm3	4 / 2.998		4 / 2.998		4 / 2.287		4 / 2.287	
Volts	12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
								
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14		TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	- Can be fit in right hand drive vehicles - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398		- Can be fit in right hand drive vehicles - Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic. Use crankshaft pulley locking tool P/N 1149000398		- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15 / SD7L15 - Can be fit in right hand drive vehicles - Model 35C15 can also be equipped with the 3.0l engine  - IMPORTANT: This kit is not suitable for the Daily 2014 version		- Can be fit in right hand drive vehicles - Model 35C15 can also be equipped with the 3.0l engine	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	With clutch pulley		Without clutch pulley	
	Poly-V Ø119 3.235 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø137 2.810 rpm	1A Ø150 3.048 rpm		2A Ø135 3.386 rpm	
Kit No.	KC14080374	KC14080374E	KC14090377	KC14090377E	KC11120253E/S		KC05100040	
Last update	2015-03-25		2019-05-09		2018-06-10		2019-06-13	





Vehicle model	DAILY 3.0 35C15 / 40C15 / 50C15 / 65C15 / 70C15 35S17 / 35C17 / 40C17 / 50C17 / 65C17 / 70C17		DAILY 3.0 35C15 / 40C15 / 50C15 / 65C15 / 70C15 35S17 / 35C17 / 40C17 / 50C17 / 65C17 / 70C17		DAILY 3.0 35S21 / 35C21 / 40C21 / 50C21 / 65C21 / 70C21		DAILY 3.0 35S21 / 35C21 / 40C21 / 50C21 / 65C21 / 70C21	
Year	(11/2011>)		(11/2011>)		(11/2011>)		(11/2011>)	
Engine Type	F1CE3481J (Euro 5) F1CE3481K (Euro 5)		F1CE3481J (Euro 5) F1CE3481K (Euro 5)		F1CE3481D (Euro 5)		F1CE3481D (Euro 5)	
CV(kW) @ rpm	146 (107) @ 3.500 170 (125) @ 3.500		146 (107) @ 3.500 170 (125) @ 3.500		205 (151) @ 3.500		205 (151) @ 3.500	
N. of cylinders/cm3	4 / 2.998		4 / 2.998		4 / 2.998		4 / 2.998	
Volts	12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
								
Compressors type	TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 21 QP 21	
Comments	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Model 35C15 can also be equipped with the 2.3l engine</li> <li>- Suitable for vehicles with 8-Speed Automatic Transmission Hi-Matic.</li> <li>- Kit with two automatic tensioners</li> <li>- Recommended fittings 135°</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- UNICLA: Clutch drive plate Ø120 not suitable.</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Model 35S15 / 35C15 can also be equipped with the 2.3l engine</li> <li>- Kit with two automatic tensioners</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V Ø119 3.235 rpm	Poly-V 8K Ø119 3.235 rpm	Poly-V 8K Ø137 2.810 rpm	Poly-V 8K Ø137 2.810 rpm
Kit No.	KC15070399	KC15070399E	KC15070398	KC15070398E	KC12050272	KC12050272E	KC13050332	KC13050332E
Last update	2019-11-22		2019-10-03		2015-03-25		2015-03-25	

<b>Vehicle model</b>	DAILY 3.0 35C14 / 40C14 / 50C14 / 65C14 35S17 / 35C17 / 40C17 / 50C17 / 65C17	DAILY 2.3 29L10 / 35S10 / 35C10 / 40C10 / 29L11 / 35S11 / 35C11 (2.3 HPI) 29L12 / 35S12 / 35C12 / 40C12 (2.3 HPI) 29L13 / 35S13 / 35C13 / 29L14 / 35S14 / 35C14 (2.3 HPT)								
<b>Year</b>	(2009>)	(2002>)								
<b>Engine Type</b>	F1CE3481L (EEV) F1CE3481C (EEV)	F1AE0481A-F / F1AE0481B-G (Euro 3-4) F1AE0481M-H (Euro 3-4) F1AE0481U / F1AE0481V (Euro 4)								
<b>CV(kW) @ rpm</b>	140 (103) @ 3.500 170 (125) @ 3.500	96 (71) @ 3.900 116 (85) @ 3.900 136 (100) @ 3.900 106 (78) @ 3.900								
<b>N. of cylinders/cm3</b>	4 / 2.998	4 / 2.287								
<b>Volts</b>	12	12								
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C								
<b>Recommended fittings</b>	<table border="1"> <tr> <td>Suction</td> <td>Discharge</td> </tr> <tr> <td></td> <td></td> </tr> </table>	Suction	Discharge			<table border="1"> <tr> <td>Suction</td> <td>Discharge</td> </tr> <tr> <td></td> <td></td> </tr> </table>	Suction	Discharge		
Suction	Discharge									
										
Suction	Discharge									
										
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15								
<b>Comments</b>	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA; "S"=SANDEN</li> <li>- "S" only for SD7H15 / SD7L15.</li> <li>- Can be fit in right hand drive vehicles</li> <li>- For compressor TM-08 and UP-90 it is essential to indicate the compressor in the order.</li> </ul>	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA; "S"=SANDEN</li> <li>- "S" only for SD7H15 / SD7L15</li> <li>- Can be fit in right hand drive vehicles</li> </ul>								
<b>Clutch type</b>	With clutch pulley 1A Ø150 3.220 rpm	With clutch pulley 1A Ø150 3.048 rpm								
<b>Kit No.</b>	KC05100006E/S	KC11120253E/S								
<b>Last update</b>	2019-06-13	2019-06-10								

<b>Vehicle model</b>	DAILY 2.8 29L09 / 35S09 / 35C09 / 40C09 29L11 / 35S11 / 35C11 / 40C11 / 45C11 / 50C11 35S13 / 35C13 / 40C13 / 45C13 / 50C13 / 65C15	DAILY 3.0 HPI - HPT 35C14 / 40C14 / 50C14 / 65C14 / 35C15 / 40C15 / 50C15 / 60C15 / 65C15 35S17 / 35C17 / 40C17 / 50C17 / 65C17 / 35S18 / 35C18 / 40C18 / 50C18 / 60C18 / 65C18
<b>Year</b>	(2001>)	(2004>)
<b>Engine Type</b>	8140.63 (Euro 2) 8140.43 C/S/N (Euro 2)	F1CE0481A-F (Euro 3-4) F1CE0481B-H (Euro 3-4)
<b>CV(kW) @ rpm</b>	85 (62) @ 3.800 105 (77) / 125 (92) / 146 (107) @ 3.600	136 (100) / 146 (107) @ 3.500 166 (122) / 176 (129) @ 3.500
<b>N. of cylinders/cm3</b>	4 / 2.798	4 / 2.998
<b>Volts</b>	12	12
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15 / SD7L15
	- Can be fit in right hand drive vehicles	- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15 / SD7L15. - Can be fit in right hand drive vehicles - For compressor TM-08 and UP-90 it is essential to indicate the compressor in the order.
<b>Clutch type</b>	Without clutch pulley	With clutch pulley
	2A Ø135 2.510 rpm	1A Ø150 3.220 rpm
<b>Kit No.</b>	KC05100005	KC05100006E/S
<b>Last update</b>	2013-12-18	2019-06-13

<b>Vehicle model</b>	EuroCargo Tector 5 ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21		EuroCargo Tector 5 ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21	
<b>Year</b>	(09/2019<)		(09/2019<)	
<b>Engine Type</b>	F4AFE411E*N (Euro 6D Temp) F4AFE411F*N (Euro 6D Temp) F4AFE411C*N (Euro 6D Temp)		F4AFE411E*N (Euro 6D Temp) F4AFE411F*N (Euro 6D Temp) F4AFE411C*N (Euro 6D Temp)	
<b>CV(kW) @ rpm</b>	160 (118) @ 2.500 190 (140) @ 2.500 210 (154) @ 2.500		160 (118) @ 2.500 190 (140) @ 2.500 210 (154) @ 2.500	
<b>N. of cylinders/cm3</b>	4 / 4.485		4 / 4.485	
<b>Volts</b>	24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
				
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-21 / QP-21	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- TM-21 Clutch 1B Ø150 / 2B Ø149</li> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	
<b>Clutch type</b>	Without clutch pulley		Without clutch pulley	With clutch pulley
	2A Ø135 3.520 rpm		1B Ø150 3.130 rpm	1B Ø150 3.130 rpm
<b>Kit No.</b>	KC07040110		KC08040128	KC08040128E
<b>Last update</b>	2020-01-22		2020-01-22	

<b>Vehicle model</b>	EuroCargo Tector 5 ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21	EuroCargo Tector 5 ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21
<b>Year</b>	(09/2019<)	(2014>09/2019)
<b>Engine Type</b>	F4AFE411E*N (Euro 6D Temp) F4AFE411F*N (Euro 6D Temp) F4AFE411C*N (Euro 6D Temp)	F4AFE411E*N (Euro 6D Temp) F4AFE411F*N (Euro 6D Temp) F4AFE411C*N (Euro 6D Temp)
<b>CV(kW) @ rpm</b>	160 (118) @ 2.100 190 (140) @ 2.100 210 (154) @ 2.100	160 (118) @ 2.100 190 (140) @ 2.100 210 (154) @ 2.100
<b>N. of cylinders/cm3</b>	4 / 4.485	4 / 4.485
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	Suction	Discharge
<b>Compressors type</b>	CS90 / CS150	CR2318 / CR2323
<b>Comments</b>	- Fittings supplied with refrigeration unit - Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox	- Fittings supplied with refrigeration unit - Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	1B Ø128 3.710 rpm 1B Ø134 3.545 rpm	1B Ø152 / 1B Ø155 3.100 rpm
<b>Kit No.</b>	KC11030214	KC10050193
<b>Last update</b>	2020-01-22	2020-01-22



<b>Vehicle model</b>	EuroCargo Tector 5 ML120E19 / ML140E19 ML120E21 / ML140E21 / ML150E21 / ML160E21		EuroCargo Tector 5 ML120E19 / ML140E19 ML120E21 / ML140E21 / ML150E21 / ML160E21		EuroCargo Tector 5 ML120E19 / ML140E19 ML120E21 / ML140E21 / ML150E21 / ML160E21	
<b>Year</b>	(09/2019<)		(09/2019<)		(09/2019<)	
<b>Engine Type</b>	F4AFE411F*N (Euro 6D Temp) F4AFE411C*N (Euro 6D Temp)		F4AFE411F*N (Euro 6D Temp) F4AFE411C*N (Euro 6D Temp)		F4AFE411F*N (Euro 6D Temp) F4AFE411C*N (Euro 6D Temp)	
<b>CV(kW) @ rpm</b>	190 (140) @ 2.500 210 (154) @ 2.500		190 (140) @ 2.500 210 (154) @ 2.500		190 (140) @ 2.100 210 (154) @ 2.100	
<b>N. of cylinders/cm3</b>	4 / 4.485		4 / 4.485		4 / 4.485	
<b>Volts</b>	24		24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
						
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-21 / QP-21		CS90 / CS150	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	
<b>Clutch type</b>	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	
	2A Ø135 3.520 rpm		1B Ø150 3.130 rpm	1B Ø150 3.130 rpm	1B Ø128 3.711 rpm 1B Ø134 3.545 rpm	
<b>Kit No.</b>	KC07030103		KC08040129	KC08040129E	KC11030215	
<b>Last update</b>	2020-01-22		2020-01-22		2020-01-22	





<b>Vehicle model</b>	EuroCargo Tector 7 ML90E22 / ML100E22 / ML120EL22 / ML120EL25	EuroCargo Tector 7 ML90E22 / ML100E22 / ML120EL22 / ML120EL25	EuroCargo Tector 7 ML120E22 / ML140E22 / ML150E22 / ML160E22 / ML120E25 / ML140E25 ML150E25 / ML160E25 / ML180E25 / ML120E28 / ML140E28 ML150E28 / ML160E28 / ML180E28 / ML150E32 / ML160E32 / ML180E32	
<b>Year</b>	(09/2019>)	(09/2019>)	(09/2019<)	
<b>Engine Type</b>	F4AFE611A*N (Euro VI-D) F4AFE611E*N (Euro VI-D)	F4AFE611A*N (Euro VI-D) F4AFE611E*N (Euro VI-D)	F4AFE611A*N (Euro 6D Temp) F4AFE611E*N (Euro 6D Temp) F4AFE611C*N (Euro 6D Temp) F4AFE611D*N (Euro 6D Temp)	
<b>CV(kW) @ rpm</b>	220 (162) @ 2.500 250 (184) @ 2.500	220 (162) @ 2.500 250 (184) @ 2.500	220 (162) @ 2.500 250 (184) @ 2.500 280 (206) @ 2.500 320 (235) @ 2.500	
<b>N. of cylinders/cm3</b>	6 / 6.728	6 / 6.728	6 / 6.728	
<b>Volts</b>	24	24	24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
<b>Compressors type</b>	TM13/QP13 - TM15/QP15 - TM16/QP16 UP120/UPF120 - UP150/UPF150 - UP170/UPF170	TM21/QP21	TM13 / 15 / 16 QP13 / 15 / 16 UP-UPF120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
<b>Comments</b>	SD5H14 - SD7H15 - SD5L14 - SD7L15 - Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox	- Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox	- Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox	
<b>Clutch type</b>	Without clutch pulley	With clutch pulley	Without clutch pulley	
	2A Ø135 3.520 rpm		2A Ø135 3.520 rpm	
<b>Kit No.</b>	KC19110495	KC19110496E	KC07040112	
<b>Last update</b>	2019-12-13	2020-01-22	2020-01-22	





<b>Vehicle model</b>	<i>EuroCargo Tector 7</i> ML120E22 / ML140E22 / ML150E22 / ML160E22 / ML120E25 / ML140E25 ML150E25 / ML160E25 / ML180E25 / ML120E28 / ML140E28 ML150E28 / ML160E28 / ML180E28 / ML150E32 / ML160E32 / ML180E32	<i>EuroCargo Tector 5</i> ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21								
<b>Year</b>	(09/2019<)	(2014>09/2019)								
<b>Engine Type</b>	F4AFE611A*N (Euro 6D Temp) F4AFE611E*N (Euro 6D Temp) F4AFE611C*N (Euro 6D Temp) F4AFE611D*N (Euro 6D Temp)	F4AFE411A*C (Euro 6) F4AFE411B*C (Euro 6) F4AFE411C*C (Euro 6)								
<b>CV(kW) @ rpm</b>	220 (162) @ 2.500 250 (184) @ 2.500 280 (206) @ 2.500 320 (235) @ 2.500	160 (118) @ 2.500 190 (140) @ 2.500 210 (154) @ 2.500								
<b>N. of cylinders/cm3</b>	6 / 6.728	4 / 4.485								
<b>Volts</b>	24	24								
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C								
<b>Recommended fittings</b>	<table border="1"> <tr> <td><i>Suction</i></td> <td><i>Discharge</i></td> </tr> <tr> <td></td> <td></td> </tr> </table>	<i>Suction</i>	<i>Discharge</i>			<table border="1"> <tr> <td><i>Suction</i></td> <td><i>Discharge</i></td> </tr> <tr> <td></td> <td></td> </tr> </table>	<i>Suction</i>	<i>Discharge</i>		
<i>Suction</i>	<i>Discharge</i>									
<i>Suction</i>	<i>Discharge</i>									
<b>Compressors type</b>	TM 21 QP 21	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15								
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>								
<b>Clutch type</b>	With clutch pulley  1B Ø156 3.012 rpm	Without clutch pulley  2A Ø135 3.520 rpm								
<b>Kit No.</b>	KC13020314E	KC07040110								
<b>Last update</b>	2020-01-22	2015-04-10								



<b>Vehicle model</b>	EuroCargo Tector 5 ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21		EuroCargo Tector 5 ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21	
	<b>Year</b> (2014>09/2019)		<b>Year</b> (2014>09/2019)	
<b>Engine Type</b>	F4AFE411A*C (Euro 6) F4AFE411B*C (Euro 6) F4AFE411C*C (Euro 6)		F4AFE411A*C (Euro 6) F4AFE411B*C (Euro 6) F4AFE411C*C (Euro 6)	
<b>CV(kW) @ rpm</b>	160 (118) @ 2.500 190 (140) @ 2.500 210 (154) @ 2.500		160 (118) @ 2.100 190 (140) @ 2.100 210 (154) @ 2.100	
<b>N. of cylinders/cm3</b>	4 / 4.485		4 / 4.485	
<b>Volts</b>	24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
<b>Compressors type</b>	TM-21 / QP-21		CS90 / CS150	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- TM-21 Clutch 1B Ø150 / 2B Ø149</li> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> <li>- NOT SUITABLE FOR Euro VI-D vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- Fittings supplied with refrigeration unit</li> <li>- Can't be fit in right hand drive vehicles</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	
<b>Clutch type</b>	Without clutch pulley	With clutch pulley	Without clutch pulley	
	1B Ø150 3.130 rpm	1B Ø150 3.130 rpm	1B Ø128 3.710 rpm 1B Ø134 3.545 rpm	
<b>Kit No.</b>	KC08040128	KC08040128E	KC11030214	
<b>Last update</b>	2015-03-23		2015-06-29	





<b>Vehicle model</b>	EuroCargo Tector 5 ML60E16 / ML65E16 / ML75E16 / ML80EL16 ML75E19 / ML80E19 / ML80EL19 / ML90E19 / ML100E19 / ML110EL19 / ML120EL19 ML75E21 / ML80E21 / ML80EL21 / ML90E21 / ML100E21 / ML110EL21 / ML120EL21		EuroCargo Tector 5 ML120E19 / ML140E19 ML120E21 / ML140E21 / ML150E21 / ML160E21	
<b>Year</b>	(2014>09/2019)		(2014>09/2019)	
<b>Engine Type</b>	F4AFE411A°C (Euro 6) F4AFE411B°C (Euro 6) F4AFE411C°C (Euro 6)		F4AFE411B°C (Euro 6) F4AFE411C°C (Euro 6)	
<b>CV(kW) @ rpm</b>	160 (118) @ 2.100 190 (140) @ 2.100 210 (154) @ 2.100		190 (140) @ 2.500 210 (154) @ 2.500	
<b>N. of cylinders/cm3</b>	4 / 4.485		4 / 4.485	
<b>Volts</b>	24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	Suction		Discharge	
				
<b>Compressors type</b>	CR2318 / CR2323		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Fittings supplied with refrigeration unit</li> <li>- Can't be fit in right hand drive vehicles</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	
<b>Clutch type</b>	Without clutch pulley		Without clutch pulley	
	1B Ø152 / 1B Ø155 3.100 rpm		2A Ø135 3.520 rpm	
<b>Kit No.</b>	KC10050193		KC07030103	
<b>Last update</b>	2015-06-29		2015-04-10	

Vehicle model	EuroCargo Tector 5 ML120E19 / ML140E19 ML120E21 / ML140E21 / ML150E21 / ML160E21		EuroCargo Tector 5 ML120E19 / ML140E19 ML120E21 / ML140E21 / ML150E21 / ML160E21		EuroCargo Tector 6 <b>CNG</b> ML110EL21 / ML120EL21		EuroCargo Tector 6 <b>CNG</b> ML110EL21 / ML120EL21	
Year	(2014>09/2019)		(2014>09/2019)		(2015>09/2019)		(2015>09/2019)	
Engine Type	F4AFE411B*C (Euro 6) F4AFE411C*C (Euro 6)		F4AFE411B*C (Euro 6) F4AFE411C*C (Euro 6)		F4GFE601A (Euro VI B/C) - CNG		F4GFE601A (Euro VI B/C) - CNG	
CV(kW) @ rpm	190 (140) @ 2.500 210 (154) @ 2.500		190 (140) @ 2.100 210 (154) @ 2.100		204 (150) @ 2.700		204 (150) @ 2.700	
N. of cylinders/cm3	4 / 4.485		4 / 4.485		6 / 5.880		6 / 5.880	
Volts	24		24		24		24	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction		Discharge		Suction		Discharge	
								
Compressors type	TM-21 / QP-21		CS90 / CS150		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-21 / QP-21	
Comments	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- NOT COMPATIBLE with automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- NOT COMPATIBLE with automatic gearbox</li> </ul>	
Clutch type	Without clutch pulley		With clutch pulley		Without clutch pulley		With clutch pulley	
	1B Ø150 3.130 rpm		1B Ø150 3.130 rpm		1B Ø128 3.711 rpm 1B Ø134 3.545 rpm		2A Ø135 3.520 rpm	
Kit No.	KC08040129		KC08040129E		KC11030215		KC07040111	
Last update	2015-03-23		2015-06-29		2015-04-10		2015-07-08	

<b>Vehicle model</b>	EuroCargo Tector 6 <b>CNG</b> ML150E21 / ML160E21		EuroCargo Tector 6 <b>CNG</b> ML150E21 / ML160E21		EuroCargo Tector 6 <b>CNG</b> ML150E21 / ML160E21		EuroCargo Tector 7 ML80E22 / ML90E22 / ML100E22 / ML110EL22 / ML120EL22	
<b>Year</b>	(2015>09/2019)		(2015>09/2019)		(2015>09/2019)		(2014>09/2019)	
<b>Engine Type</b>	F4GFE601A (Euro VI B/C) - CNG		F4GFE601A (Euro VI B/C) - CNG		F4GFE601A (Euro VI B/C) - CNG		F4AFE611A*C (Euro 6)	
<b>CV(kW) @ rpm</b>	204 (150) @ 2.700		204 (150) @ 2.700		204 (150) @ 2.700		220 (162) @ 2.500	
<b>N. of cylinders/cm3</b>	6 / 5.880		6 / 5.880		6 / 5.880		6 / 6.728	
<b>Volts</b>	24		24		24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 21 QP 21		TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
<b>Comments</b>	- Can't be fit in right hand drive vehicles - NOT COMPATIBLE with automatic gearbox - NOT SUITABLE FOR Euro VI-D vehicles		- Can't be fit in right hand drive vehicles - NOT COMPATIBLE with automatic gearbox - NOT SUITABLE FOR Euro VI-D vehicles		- Can't be fit in right hand drive vehicles - COMPATIBLE with automatic gearbox ALLISON - NOT SUITABLE FOR Euro VI-D vehicles		- Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox	
<b>Clutch type</b>	Without clutch pulley		With clutch pulley		With clutch pulley		Without clutch pulley	
	2A Ø135 3.520 rpm		1B Ø156 3.012 rpm		1B Ø156 3.012 rpm		2A Ø135 3.520 rpm	
<b>Kit No.</b>	KC07040112		KC13020314E		KC19010476E		KC07040111	
<b>Last update</b>	2015-04-13		2015-07-09		2019-02-28		2015-04-10	

<b>Vehicle model</b>	EuroCargo Tector 7 ML80E22 / ML90E22 / ML100E22 / ML110EL22 / ML120EL22	EuroCargo Tector 7 ML120E22 / ML140E22 / ML150E22 / ML160E22 / ML120E25 / ML140E25 ML150E25 / ML160E25 / ML180E25 / ML120E28 / ML140E28 ML150E28 / ML160E28 / ML180E28 / ML150E32 / ML160E32 / ML180E32
<b>Year</b>	(2014>09/2019)	(2014>09/2019)
<b>Engine Type</b>	F4AFE611A°C (Euro 6)	F4AFE611A°C (Euro 6) F4AFE611E°C (Euro 6) F4AFE611C°C (Euro 6) F4AFE611D°C (Euro 6)
<b>CV(kW) @ rpm</b>	220 (162) @ 2.500	220 (162) @ 2.500 250 (184) @ 2.500 280 (206) @ 2.500 320 (235) @ 2.500
<b>N. of cylinders/cm3</b>	6 / 6.728	6 / 6.728
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<i>Suction</i>	<i>Discharge</i>
		
<b>Compressors type</b>	TM-21 / QP-21	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15
	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Compatible with ZF automatic gearbox</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>
<b>Clutch type</b>	With clutch pulley	Without clutch pulley
	1B Ø156 3.012 rpm	2A Ø135 3.520 rpm
<b>Kit No.</b>	KC08040130E	KC07040112
<b>Last update</b>	2015-07-08	2015-04-13







<b>Vehicle model</b>	<i>EuroCargo Tector 7</i> ML120E22 / ML140E22 / ML150E22 / ML160E22 / ML120E25 / ML140E25 ML150E25 / ML160E25 / ML180E25 / ML120E28 / ML140E28 ML150E28 / ML160E28 / ML180E28 / ML150E32 / ML160E32 / ML180E32	<i>EuroCargo Tector 7 4X4</i> ML110E22 / ML110E25 / ML150E25 / ML150E28
<b>Year</b>	(2014>09/2019)	(2014>)
<b>Engine Type</b>	F4AFE611A°C (Euro 6) F4AFE611E°C (Euro 6) F4AFE611C°C (Euro 6) F4AFE611D°C (Euro 6)	F4AFE611A°C (Euro 6) F4AFE611E°C (Euro 6) F4AFE611C°C (Euro 6)
<b>CV(kW) @ rpm</b>	220 (162) @ 2.500 250 (184) @ 2.500 280 (206) @ 2.500 320 (235) @ 2.500	220 (162) @ 2.500 250 (184) @ 2.500 280 (206) @ 2.500
<b>N. of cylinders/cm3</b>	6 / 6.728	6 / 6.728
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>
		
<b>Compressors type</b>		
	TM 21 QP 21	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15
<b>Comments</b>	- Can't be fit in right hand drive vehicles - Fittings not included in the kit - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox	- Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox
<b>Clutch type</b>	With clutch pulley	Without clutch pulley
	1B Ø156 3.012 rpm	2A Ø135 3.520 rpm
<b>Kit No.</b>	KC13020314E	KC16110420
<b>Last update</b>	2015-07-09	2017-03-29



<b>Vehicle model</b>	EuroCargo Tector 60E14 / 65E14 / 75E14 / 80EL14 60E16 / 65E16 / 75E16 / 80EL16 60E18 / 65E18 / 75E18 / 80EL18 / 80EL18 / 90E18 / 100E18 / 110EL18 / 120EL18		EuroCargo Tector 60E14 / 65E14 / 75E14 / 80EL14 60E16 / 65E16 / 75E16 / 80EL16 60E18 / 65E18 / 75E18 / 80EL18 / 80EL18 / 90E18 / 100E18 / 110EL18 / 120EL18	
<b>Year</b>	(10/2006)		(10/2006)	
<b>Engine Type</b>	F4AE3481C (Euro 4-5) F4AE3481D (Euro 4-5) F4AE3481B (Euro 4-5)		F4AE3481C (Euro 4-5) F4AE3481D (Euro 4-5) F4AE3481B (Euro 4-5)	
<b>CV(kW) @ rpm</b>	140 (103) @ 2.700 160 (118) @ 2.700 180 (132) @ 2.700		140 (103) @ 2.700 160 (118) @ 2.700 180 (132) @ 2.700	
<b>N. of cylinders/cm3</b>	4 / 3.920		4 / 3.920	
<b>Volts</b>	24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
				
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-21 / QP-21	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles.</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- TM-21 Clutch 1B Ø150 / 2B Ø149</li> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	
<b>Clutch type</b>	Without clutch pulley		Without clutch pulley	With clutch pulley
	2A Ø135 3.800 rpm		1B Ø150 3.130 rpm	1B Ø150 3.130 rpm
<b>Kit No.</b>	KC07040110		KC08040128	KC08040128E
<b>Last update</b>	2013-12-18		2014-06-30	







<b>Vehicle model</b>	EuroCargo Tector 60E14 / 65E14 / 75E14 / 80EL14 60E16 / 65E16 / 75E16 / 80EL16 60E18 / 65E18 / 75E18 / 80EL18 / 80EL18 / 90E18 / 100E18 / 110EL18 / 120EL18	EuroCargo Tector 60E14 / 65E14 / 75E14 / 80EL14 60E16 / 65E16 / 75E16 / 80EL16 60E18 / 65E18 / 75E18 / 80EL18 / 80EL18 / 90E18 / 100E18 / 110EL18 / 120EL18
<b>Year</b>	(10/2006)	(10/2006)
<b>Engine Type</b>	F4AE3481C (Euro 4-5) F4AE3481D (Euro 4-5) F4AE3481B (Euro 4-5)	F4AE3481C (Euro 4-5) F4AE3481D (Euro 4-5) F4AE3481B (Euro 4-5)
<b>CV(kW) @ rpm</b>	140 (103) @ 2.700 160 (118) @ 2.700 180 (132) @ 2.700	140 (103) @ 2.700 160 (118) @ 2.700 180 (132) @ 2.700
<b>N. of cylinders/cm3</b>	4 / 3.920	4 / 3.920
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	Suction	Discharge
<b>Compressors type</b>	CR2318 / CR2323	CS90 / CS150
<b>Comments</b>	- Fittings supplied with refrigeration unit. - Can't be fit in right hand drive vehicles. - NOT COMPATIBLE with ALLISON automatic gearbox	- Fittings supplied with refrigeration unit. - Can't be fit in right hand drive vehicles. - NOT COMPATIBLE with ALLISON automatic gearbox
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	1B Ø152 / 1B Ø155 3.100 rpm	1B Ø128 4.297 rpm / 1B Ø134 4.104 rpm
<b>Kit No.</b>	KC10050193	KC11030214
<b>Last update</b>	2015-06-29	2015-06-29

Vehicle model	EuroCargo Tector 120E18 / 130E18 / 140E18 150E18 / 160E18		EuroCargo Tector 120E18 / 130E18 / 140E18 150E18 / 160E18		EuroCargo Tector 120E18 / 130E18 / 140E18 150E18 / 160E18		EuroCargo Tector 80E22 / 90E22 / 100E22 / 110EL22 / 120EL22		EuroCargo Tector 80E22 / 90E22 / 100E22 / 110EL22 / 120EL22		EuroCargo Tector 80E22 / 90E22 / 100E22 / 110EL22 / 120EL22			
Year	(06/2006>)		(06/2006>)		(06/2006>)		(10/2006>)		(10/2006>)		(10/2006>)			
Engine Type	F4AE3481A (Euro 4-5)		F4AE3481A (Euro 4-5)		F4AE3481A (Euro 4-5)		F4AE3681B-P (Euro4-5)		F4AE3681B-P (Euro4-5)		F4AE3681B-P (Euro4-5)			
CV(kW) @ rpm	182 (134) @ 2.700		182 (134) @ 2.700		182 (134) @ 2.700		217 (159) @ 2.700		217 (159) @ 2.700		217 (159) @ 2.700			
N. of cylinders/cm3	4 / 3.920		4 / 3.920		4 / 3.920		6 / 5.880		6 / 5.880		6 / 5.880			
Volts	24		24		24		24		24		24			
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge		
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-21 / QP-21		CS90 / CS150		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-21 / QP-21		CS90 / CS150			
Comments	- Can't be fit in right hand drive vehicles. - NOT COMPATIBLE with ALLISON automatic gearbox		- Can't be fit in right hand drive vehicles - Fittings not included in the kit - NOT COMPATIBLE with ALLISON automatic gearbox		- Can't be fit in right hand drive vehicles - Fittings not included in the kit - NOT COMPATIBLE with ALLISON automatic gearbox		- Can't be fit in right hand drive vehicles. - NOT COMPATIBLE with ALLISON automatic gearbox		- Can't be fit in right hand drive vehicles - Fittings not included in the kit - NOT COMPATIBLE with ALLISON automatic gearbox		- Can't be fit in right hand drive vehicles - Fittings not included in the kit - Not suitable for 220HP engine with automatic gear box. - NOT COMPATIBLE with ALLISON automatic gearbox			
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley			
	2A Ø135 3.800 rpm		1B Ø150 3.130 rpm		1B Ø150 3.130 rpm		1B Ø128 4.297 rpm / 1B Ø134 4.104 rpm		2A Ø135 3.800 rpm		1B Ø156 3.012 rpm		1B Ø128 4.297 rpm / 1B Ø134 4.104 rpm	
Kit No.	KC07030103		KC08040129		KC08040129E		KC11030215		KC07040111		KC08040130E		KC11030216	
Last update	2013-12-18		2014-06-30		2015-06-29		2013-12-18		2014-06-30		2014-06-30			

<b>Vehicle model</b>	EuroCargo Tector 110EL20 CNG / 120EL20 CNG		EuroCargo Tector 110EL20 CNG / 120EL20 CNG		EuroCargo Tector 120E22 / 130E22 / 140E22 / 150E22 / 160E22 / 120E25 / 130E25 / 140E25 / 150E25 160E25 / 180E25 / 190EL25 / 120E28 / 130E28 / 140E28 / 150E28 / 160E28 / 180E28 190EL28 / 150E30 / 160E30 / 180E30 / 190EL30	
<b>Year</b>	(01/2011>)		(01/2011>)		(10/2006>)	
<b>Engine Type</b>	FPT Tector 6 CNG engine		FPT Tector 6 CNG engine		F4AE3681B-P (Euro 4-5)// F4AE3681D-P (Euro 4-5) F4AE3681E-P (Euro 4-5)//F4AE3681A-P (Euro 4-5)	
<b>CV(kW) @ rpm</b>	200 (147) @ 2.700		200 (147) @ 2.700		217 (159) / 251 (184) @ 2.700 279 (205) / 299 (220) @ 2.500	
<b>N. of cylinders/cm3</b>	6 / 5.880		6 / 5.880		6 / 5.880	
<b>Volts</b>	24		24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
						
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-21 / QP-21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
<b>Comments</b>	- Can't be fit in right hand drive vehicles. - NOT COMPATIBLE with ALLISON automatic gearbox		- Can't be fit in right hand drive vehicles - Fittings not included in the kit - NOT COMPATIBLE with ALLISON automatic gearbox		- Can't be fit in right hand drive vehicles. - NOT COMPATIBLE with ALLISON automatic gearbox	
<b>Clutch type</b>	Without clutch pulley		With clutch pulley		Without clutch pulley	
	2A Ø135 3.800 rpm		1B Ø156 3.012 rpm		2A Ø135 3.800 rpm	
<b>Kit No.</b>	KC07040111		KC08040130E		KC07040112	
<b>Last update</b>	2013-12-18		2014-06-30		2013-12-18	

<b>Vehicle model</b>	<i>EuroCargo Tector</i> 120E22 / 130E22 / 140E22 / 150E22 / 160E22 / 120E25 / 130E25 / 140E25 / 150E25 160E25 / 180E25 / 190EL25 / 120E28 / 130E28 / 140E28 / 150E28 / 160E28 / 180E28 190EL28 / 150E30 / 160E30 / 180E30 / 190EL30	<i>EuroCargo Tector</i> 120E22 / 130E22 / 140E22 / 150E22 / 160E22 / 120E25 / 130E25 / 140E25 / 150E25 160E25 / 180E25 / 190EL25 / 120E28 / 130E28 / 140E28 / 150E28 / 160E28 / 180E28 190EL28 / 150E30 / 160E30 / 180E30 / 190EL30
<b>Year</b>	(10/2006>)	(10/2006>)
<b>Engine Type</b>	F4AE3681B-P (Euro 4-5)// F4AE3681D-P (Euro 4-5) F4AE3681E-P (Euro 4-5)//F4AE3681A-P (Euro 4-5)	F4AE3681B-P (Euro 4-5)// F4AE3681D-P (Euro 4-5) F4AE3681E-P (Euro 4-5)//F4AE3681A-P (Euro 4-5)
<b>CV(kW) @ rpm</b>	217 (159) / 251 (184) @ 2.700 279 (205) / 299 (220) @ 2.500	217 (159) / 251 (184) @ 2.700 279 (205) / 299 (220) @ 2.500
<b>N. of cylinders/cm3</b>	6 / 5.880	6 / 5.880
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b> 	<b>Discharge</b> 
<b>Compressors type</b>	TM 21 QP 21	CR2318 / CR2323
<b>Comments</b>	- Can't be fit in right hand drive vehicles - Fittings not included in the kit - NOT COMPATIBLE with ALLISON automatic gearbox	- Can't be fit in right hand drive vehicles - No suitable for 220HP engine with automatic gear box - Fittings not included in the kit - NOT COMPATIBLE with ALLISON automatic gearbox
<b>Clutch type</b>	With clutch pulley	Without clutch pulley
	1B Ø156 3.012 rpm	1B Ø152 / 1B Ø155 3.100 rpm
<b>Kit No.</b>	KC13020314E	KC13020307
<b>Last update</b>	2015-07-09	2014-06-30

Vehicle model	EuroCargo Tector 120E22 / 130E22 / 140E22 / 150E22 / 160E22 / 120E25 / 130E25 / 140E25 / 150E25 160E25 / 180E25 / 190EL25 / 120E28 / 130E28 / 140E28 / 150E28 / 160E28 / 180E28 190EL28 / 150E30 / 160E30 / 180E30 / 190EL30		EuroCargo Tector 150E20 CNG / 160E20 CNG	EuroCargo Tector 150E20 CNG / 160E20 CNG	EuroCargo Tector 150E20 CNG / 160E20 CNG			
Year	(10/2006>)		(01/2011>)	(01/2011>)	(01/2011>)			
Engine Type	F4AE3681B-P (Euro 4-5)// F4AE3681D-P (Euro 4-5) F4AE3681E-P (Euro 4-5)//F4AE3681A-P (Euro 4-5)		FPT Tector 6 CNG engine	FPT Tector 6 CNG engine	FPT Tector 6 CNG engine			
CV(kW) @ rpm	217 (159) / 251 (184) @ 2.700 279 (205) / 299 (220) @ 2.500		200 (147) @ 2.700	200 (147) @ 2.500	200 (147) @ 2.700			
N. of cylinders/cm3	6 / 5.880		6 / 5.880	6 / 5.880	6 / 5.880			
Volts	24		24	24	24			
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C	Vehicles with or without A/C	Vehicles with or without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
								
Compressors type	CS90 / CS150		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 21 QP 21	CR2318 / CR2323			
Comments	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- No suitable for 220HP engine with automatic gear box</li> <li>- Fittings not included in the kit</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles.</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- No suitable for 220HP engine with automatic gear box</li> <li>- Fittings not included in the kit</li> <li>- NOT COMPATIBLE with ALLISON automatic gearbox</li> </ul>			
Clutch type	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley			
	1B Ø128 4.297 rpm / 1B Ø134 4.104 rpm		2A Ø135 3.800 rpm	1B Ø156 3.012 rpm	1B Ø152 / 1B Ø155 3.100 rpm			
Kit No.	KC11030217		KC07040112	KC13020314E	KC13020307			
Last update	2014-06-30		2013-12-18	2015-07-09	2014-06-30			

<b>Vehicle model</b>	EuroCargo Tector 4X4 110E22 / 110E25 / 150E25 / 150E28	EuroCargo Tector 60E13 / 65E13 / 75E13 60E15 / 65E15 / 75E15 / 80EL15 75E17 / 80E17 / 90E17 / 100E17 / 80EL17 / 100EL17 / 120EL17	EuroCargo Tector 75E18 / 80E18 / 90E18 / 100E18 80E21 / 90E21 / 100E21 / 110EL21 / 120EL21
<b>Year</b>	(10/2006>)	(10/2002>)	(2001>)
<b>Engine Type</b>	F4AE3681B-P (Euro 4-5)// F4AE3681D-P (Euro 4-5) F4AE3681E-P (Euro 4-5)//F4AE3681A-P (Euro	F4AE0481D (Euro 3) F4AE0481C (Euro 3) F4AE0481A (Euro 3)	F4AE0681E (Euro 3) F4AE0681D (Euro 3)
<b>CV(kW) @ rpm</b>	217 (159) / 251 (184) @ 2.700 279 (205) / 299 (220) @ 2.500	129 (95) @ 2.700 150 (110) @ 2.700 170 (125) @ 2.700	182 (134) @ 2.700 209 (154) @ 2.700
<b>N. of cylinders/cm3</b>	6 / 5.880	4 / 3.920	6 / 5.880
<b>Volts</b>	24	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b>	<b>Suction</b>	<b>Suction</b>
	<b>Discharge</b>	<b>Discharge</b>	<b>Discharge</b>
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15
<b>Comments</b>	- Can't be fit in right hand drive vehicles - Compatible with ZF automatic gearbox - NOT COMPATIBLE with ALLISON automatic gearbox	- From chassis number ZCFA75CO102391603 (truck number 3298466). - Can't be fit in right hand drive vehicles.	- Can't be fit in right hand drive vehicles.
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley	Without clutch pulley
	2A Ø135 3.520 rpm	2A Ø135 3.800 rpm	2A Ø135 3.800 rpm
<b>Kit No.</b>	KC16110420	KC05100016	KC05100017
<b>Last update</b>	2017-03-29	2013-12-18	2013-12-18

Vehicle model	EuroCargo Tector 120E18 / 130E18 / 140E18 / 150E18 / 120E21 / 130E21 / 140E21 / 150E21 160E21 / 180E21 / 120E24 / 130E24 / 140E24 / 150E24 / 160E24 180E24 / 120E28 / 130E28 / 140E28 / 150E28 / 160E28 / 180E28		EuroCargo 130E23 / 150E23 / 170E23		STRALIS 190S31 / 260S31 / 190S33 / 260S33 190S36 / 260S36		STRALIS 190S31 / 260S31 / 190S33 / 260S33 190S36 / 260S36	
Year	(2001>)		(1997>2001)		(01/2016>)		(01/2013>01/2016)	
Engine Type	F4AE0681E (Euro 3) F4AE0681B (Euro 3) F4AE0681A (Euro 3)		8060.45		Cursor 9 (Euro 6) F2CFE611D F2CFE611C F2CFE611B		Cursor 9 (Euro 6) F2CFE611D F2CFE611C F2CFE611B	
CV(kW) @ rpm	182 (134) @ 2.700 240 (176) @ 2.700 275 (202) @ 2.500		230 (169) @ 2.700		310 (228) @ 2.400 330 (243) @ 2.400 360 (265) @ 2.400		310 (228) @ 2.400 330 (243) @ 2.400 360 (265) @ 2.400	
N. of cylinders/cm3	6 / 5.880		6 / 5.861		6 / 8.709		6 / 8.709	
Volts	24		24		24		24	
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 21 QP 21		CR2318 CR2323	
Comments	- Can't be fit in right hand drive vehicles.		- Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles. - Fittings not included in the kit - Not suitable for vehicles equipped with front pneumatic suspension - Only suitable for vehicles after january 2016		- Can be fit in right hand drive vehicles - Fittings not included in the kit - Not suitable for vehicles equipped with front pneumatic suspension - Only suitable for vehicles before year 2016	
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley		With clutch pulley	
	2A Ø135 3.800 rpm		2A Ø135 3.740 rpm		Poly-V 8K Ø137 3.260 rpm		Poly-V 8K Ø137 3.260 rpm	
Kit No.	KC05100018		KC06040075		KC15060393		KC15060393E	
Last update	2013-12-18		2013-12-18		2016-07-19		2015-09-28	

Vehicle model	STRALIS 190S31 / 260S31 / 190S33 / 260S33 190S36 / 260S36		STRALIS 190S40 / 260S40		STRALIS 190S40 / 260S40		STRALIS 190S40 / 260S40		STRALIS 190S40 / 260S40		STRALIS 190S42 / 260S42 190S46 / 260S46 190S48 / 260S48	
Year	(01/2016>)		(01/2013>01/2016)		(01/2013>01/2016)		(01/2013>01/2016)		(01/2013>01/2016)		(2013>)	
Engine Type	Cursor 9 (Euro 6) F2CFE611D F2CFE611C F2CFE611B		Cursor 9 (Euro 6) F2CFE611A		Cursor 9 (Euro 6) F2CFE611A		Cursor 9 (Euro 6) F2CFE611A		Cursor 9 (Euro 6) F2CFE611A		Cursor 11 (Euro 6) F3GFE611D F3GFE611B F3GFE611A	
CV(kW) @ rpm	310 (228) @ 2.400 330 (243) @ 2.400 360 (265) @ 2.400		400(294) @ 2.400		400(294) @ 2.400		400(294) @ 2.400		400(294) @ 2.400		420(309) @ 1.900 460(338) @ 1.900 480(353) @ 1.900	
N. of cylinders/cm3	6 / 8.709		6 / 8.709		6 / 8.709		6 / 8.709		6 / 8.709		6 / 11.118	
Volts	24		24		24		24		24		24	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	CS90 CS150		TM 21 QP 21		CR2318		CR2323		CS90 / CS150		TM 21 QP 21	
Comments	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> <li>- Only suitable for vehicles after year 2016</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> <li>- Only suitable for vehicles before year 2016</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> <li>- Only suitable for vehicles before year 2016</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> <li>- Only suitable for vehicles before year 2016</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> <li>- Only suitable for vehicles before year 2016</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> <li>- Only suitable for vehicles before year 2016</li> </ul>	
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley
	Poly-V 7K Ø137 3.260 rpm		Poly-V 8K Ø137 3.260 rpm		Poly-V 6K Ø145 2.760 rpm		Poly-V 7K Ø145 3.012 rpm		Poly-V 6K Ø95 4.700 rpm / Poly-V K Ø115 3.880 rpm		Poly-V 8K Ø137 3.318 rpm	Poly-V 8K Ø137 3.318 rpm
Kit No.	KC15060394		KC12120304		KC12110296		KC13020308		KC12120302		KC13080337	KC13080337E
Last update	2020-04-23		2014-08-01		2014-08-01		2014-08-01		2014-08-01		2014-08-01	



Vehicle model	STRALIS 190S42 / 260S42 190S46 / 260S46 190S48 / 260S48		STRALIS 190S31 / 260S31 190S33 / 260S33 190S36 / 260S36		STRALIS 190S31 / 260S31 190S33 / 260S33 190S36 / 260S36		STRALIS 190S31 / 260S31 190S33 / 260S33 190S36 / 260S36		STRALIS 190S42 / 260S42 190S45 / 260S45		
Year	(2013>)		(2004>)		(2004>)		(2004>)		(2004>)		
Engine Type	Cursor 11 (Euro 6) F3GFE611D F3GFE611B F3GFE611A		Cursor 8 (Euro 5 / EEV) F2B E3681C F2B E3681B F2B E3681A		Cursor 8 (Euro 5 / EEV) F2B E3681C F2B E3681B F2B E3681A		Cursor 8 (Euro 5 / EEV) F2B E3681C F2B E3681B F2B E3681A		Cursor 10 (Euro 5 / EEV) F3A E3681D F3A E3681A		
CV(kW) @ rpm	420(309) @ 2.250 460(338) @ 2.250		310 (228) @ 2.400 330 (243) @ 2.400 360 (265) @ 2.400		310 (228) @ 2.400 330 (243) @ 2.400 360 (265) @ 2.400		310 (228) @ 2.400 330 (243) @ 2.400 360 (265) @ 2.400		420 (309) @ 2.250 450 (331) @ 2.250		
N. of cylinders/cm3	6 / 11.118		6 / 7.790		6 / 7.790		6 / 7.790		6 / 10.300		
Volts	24		24		24		24		24		
Air Conditioning	Only Vehicles with A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	
Compressors type	CS90 / CS150		TM 21 QP 21		CR2318 / CR2323		CR90 / CR150		CS90 / CS150		
Comments	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> <li>- Only for vehicles with special option Front Traverse (IVECO ULM)</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings not included in the kit</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings supplied with refrigeration unit.</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings supplied with refrigeration unit.</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings supplied with refrigeration unit.</li> <li>- Suspension type: FSCM or FPCM.</li> <li>- Special option Front Traverse ?FRIGOBLOCK"</li> <li>- Not suitable for vehicles equipped with front pneumatic suspension</li> </ul>		
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		
	Poly-V 6PK Ø95 4.784 rpm Poly-V 6PK Ø115 3.952 rpm		Poly-V 8K Ø137 3.258 rpm		Poly-V 8K Ø137 3.258 rpm		Poly-V 6K Ø145 /Poly-V 7K Ø145 2.996 rpm		Poly-V 6K Ø95 4.699 rpm / Poly-V K Ø115 3.882 rpm		Poly-V 6PK Ø98 5.383 rpm / Poly-V 6PK Ø118 4.471 rpm
Kit No.	KC13080338		KC11050229	KC11050229E	KC09060164		KC11070240		KC11090243		
Last update	2014-08-01		2014-08-01		2014-08-01		2014-08-01		2014-08-01		