



Mercedes-Benz

Vehicle model	CITAN 1.5		CITAN 1.5		CITAN 108 CDi 109 CDi 111 CDi		CITAN 108 CDi 109 CDi 111 CDi		VITO FWD 109 CDi 111 CDi 114 CDi		VITO FWD 109 CDi 111 CDi 114 CDi	
Year	(09/2019>)		(09/2019>)		(2012 >)		(2012 >)		(09/2019>)		(09/2019>)	
Engine Type	K9K Gen8 (Euro 6dtemp)		K9K Gen8 (Euro 6dtemp)		OM 607 DE15LA (Euro 4 / Euro 5 / Euro 6)		OM 607 DE15LA (Euro 4 / Euro 5 / Euro 6)		OM622 DE17LA (Euro 6dtemp)		OM622 DE17LA (Euro 6dtemp)	
CV(kW) @ rpm	80 (59) @ 3.750 95 (70) @ 3.750 115 (85) @ 3.750		80 (59) @ 3.750 95 (70) @ 3.750 115 (85) @ 3.750		75 (55) @ 4.000 90 (66) @ 4.000 110 (81) @ 4.000		75 (55) @ 4.000 90 (66) @ 4.000 110 (81) @ 4.000		102 (75) @ 3.800 136 (100) @ 3.800		102 (75) @ 3.800 136 (100) @ 3.800	
N. of cylinders/cm3	4 / 1.461		4 / 1.461		4 / 1.461		4 / 1.461		4 / 1.749		4 / 1.749	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15		TM 13 / 15 QP 13 / 15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14/SD5L14		TM 13 / 15 QP 13 / 15 UP-UPF 120/150 SD5H14/SD5L14	
Comments	- "E"=TM / QUE / UNICLA - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles		- "E"=TM / QUE / UNICLA - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles (*!) THE AIR CONDITIONING COMPRESSOR MUST BE REMOVED		- "E"=TM / QUE / UNICLA - UNICLA: Clutch drive plate Ø120 not suitable. - Can be fit in right hand drive vehicles - Dacia recommend not to use STOSTA option in vehicles with a refrigeration system (*!) THE AIR CONDITIONING COMPRESSOR MUST BE REMOVED - MUFFLER option recommended		- "E"=TM / QUE / UNICLA - UNICLA: Clutch drive plate Ø120 not suitable. - Can be fit in right hand drive vehicles - MB recommend not to use the Stop & Start (STOSTA) option in vehicles equipped with a refrigeration system - MUFFLER option recommended.		- FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles  (*!) THE AIR CONDITIONING COMPRESSOR MUST BE REMOVED		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	With clutch pulley		With clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 4.750 rpm	Poly-V 8K Ø119 4.750 rpm	Poly-V 8K Ø119 4.750 rpm	Poly-V 8K Ø119 4.750 rpm	Poly-V 6K Ø125 4.800 rpm		Poly-V 6K Ø125 4.800 rpm		Poly-V Ø119 4.790 rpm	Poly-V 8K Ø119 4.790 rpm	Poly-V Ø119 4.790 rpm	Poly-V 8K Ø119 4.790 rpm
Kit No.	KC18080467	KC18080467E	KC19120497	KC19120497E	KC13030319E		KC08040127E		KC14120379	KC14120379E	KC14120380	KC14120380E
Last update	2020-02-10		2020-02-10		2014-04-01		2013-12-17		2020-02-27		2020-02-28	



Mercedes-Benz







Vehicle model	VITO 109 CDI 111 CDI		VITO 109 CDI 111 CDI		VITO 114 CDI 116 CDI 119 CDI		VITO 114 CDI 116 CDI 119 CDI		VITO 109 CDI 111 CDI 115 CDI		VITO 109 CDI 111 CDI 115 CDI	
Year	(11/2014>)		(11/2014>)		(2014>)		(2014>)		(2003>)		(2006>)	
Engine Type	OM622 DE16LA (Euro 5b+ / Euro 6)		OM622 DE16LA (Euro 5b+ / Euro 6)		OM651 DE22LA (Euro 5b+ / Euro 6)		OM651 DE22LA (Euro 5b+ / Euro 6)		OM 646 DE 22 LA (Euro 3)		OM 646 DE 22 LA (Euro 4)	
CV(kW) @ rpm	88 (65) @ 3.800 114 (84) @ 3.800		88 (65) @ 3.800 114 (84) @ 3.800		136 (100) @ 3.800 163 (120) @ 3.800 190 (140) @ 3.800		136 (100) @ 3.800 163 (120) @ 3.800 190 (140) @ 3.800		88 (65) @ 3.800 109 (80) @ 3.800 150 (110) @ 3.800		88 (65) @ 3.800 109 (80) @ 3.800 150 (110) @ 3.800	
N. of cylinders/cm3	4 / 1.598		4 / 1.598		4 / 2.143		4 / 2.143		4 / 2.148		4 / 2.148	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120/150 SD5H14/SD5L14		TM 13 / 15 QP 13 / 15 UP-UPF 120/150 SD5H14/SD5L14		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD5L14		TM 13 QP 13 UP-UPF 120 SD5H14/SD5L14		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170	
Comments	- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles  (*!) THE AIR CONDITIONING COMPRESSOR MUST BE REMOVED		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles		- Suitable for the automatic gear box. - Can be fit in right hand drive vehicles  - The kit is not suitable for vehicles 4x4		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD5H14 / SD5L14. - Can be fit in right hand drive vehicles.		- Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA;"S"=SANDEN - When vehicle is not equipped with the crankshaft pulley N63, request code P/N 111000076 - Can be fit in right hand drive vehicles	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley		With clutch pulley	
	Poly-V Ø 119 4.790 rpm	Poly-V 8K Ø119 4.790 rpm	Poly-V Ø 119 4.790 rpm	Poly-V 8K Ø119 4.790 rpm	2A Ø135 3.237 rpm		Poly-V Ø 119 4.695 rpm	Poly-V Ø 157 3.560 rpm	2A Ø135 3.040 rpm		Poly-V 6K Ø125 3.369 rpm	
Kit No.	KC14120379	KC14120379E	KC14120380	KC14120380E	KC14120385		KC14120383	KC14120383E/S	KC05100019		KC06060077E	
Last update	2020-02-13		2020-02-13		2015-11-04		2015-02-13		2013-12-17		2013-12-17	



Mercedes-Benz







**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	VITO 109 CDI 111 CDI 115 CDI	VITO 110 CDI 113 CDI 116 CDI	SPRINTER 211 / 311 / 411 ? CDI ? FWD 214 / 314 / 414 ? CDI ? FWD		SPRINTER 211 / 311 / 411 ? CDI ? FWD 214 / 314 / 414 ? CDI ? FWD			
Year	(2006>)	(2010>)	(2018>)		(2018>)			
Engine Type	OM 646 DE 22 LA (Euro 4)	OM 651 DE 22 LA (Euro 5)	OM 651 DE22 LA (Euro 6c Gr.III/ VI-C)		OM 651 DE22 LA (Euro 6c Gr.III/ VI-C)			
CV(kW) @ rpm	88 (65) @ 3.800 109 (80) @ 3.800 150 (110) @ 3.800	95 (70) @ 2.400 136 (100) @ 2.600 163 (120) @ 2.400	114 (84) @ 3.800 143 (105) @ 3.800		114 (84) @ 3.800 143 (105) @ 3.800			
N. of cylinders/cm3	4 / 2.148		4 / 2.143		4 / 2.143			
Volts	12		12		12			
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles with A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge		
								
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15			
Comments	<ul style="list-style-type: none"> <li>- Only for vehicles with original N63 PTO option (Bracket compressor and crankshaft pulley).</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- "S"=SANDEN (only for SD7H15).</li> <li>- SD5H14-SD7H15 Ø119 only 7K-8K</li> <li>- For vehicles with ECO (Start&amp; Stop) option requested belt P/N 1262602307. Only kits with special clutch.</li> <li>- For TM-15/UP-150/SD7H15 Recommended fittings, 90°.</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- IMPORTANT. The kit with special clutch (option "E") is not suitable in vehicles with automatic gear box.</li> </ul>		<ul style="list-style-type: none"> <li>- FWD= Front wheel drive</li> <li>- "E"=TM / QUE / UNICLA</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- For vehicles version Van, the factory option EK1 is required for the electric connections of the refrigeration unit.</li> </ul>		<ul style="list-style-type: none"> <li>- FWD= Front wheel drive</li> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN (only for SD7H15)</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- For vehicles version Van, the factory option EK1 is required for the electric connections of the refrigeration unit.</li> </ul>	
Clutch type	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley		
	2A Ø135 3.740 rpm		Poly-V Ø119 4.695 rpm	Poly-V 6K Ø157 3.560 rpm	Poly-V 8K Ø119 3.575 rpm	Poly-V 8K Ø119 3.575 rpm	Poly-V 8K Ø119 5.100 rpm	
Kit No.	KC08100141		KC10090203	KC10090203E/S	KC18050461	KC18050461E		
Last update	2013-12-17		2013-12-17		2020-03-06			
					2019-02-08			



Mercedes-Benz





<b>Vehicle model</b>	<b>SPRINTER</b> 210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD 213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD 216 / 316 / 416 / 516 - CDI / BlueTEC - RWD		<b>SPRINTER</b> 210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD 213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD 216 / 316 / 416 / 516 - CDI / BlueTEC - RWD	
<b>Year</b>	(2014>)		(2014>)	
<b>Engine Type</b>	OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)		OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)	
<b>CV(kW) @ rpm</b>	95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800		95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800	
<b>N. of cylinders/cm3</b>	4 / 2.143		4 / 2.143	
<b>Volts</b>	12		12	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
				
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- RWD= Rear wheel drive</li> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN (only for SD7H15)</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Only for vehicles equipped with the N63 crankshaft pulley</li> <li>- When vehicle is not equipped with the crankshaft pulley N63, request the crankshaft pulley P/N 111200171</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171 (Intercooler).</li> </ul>		<ul style="list-style-type: none"> <li>- RWD= Rear wheel drive</li> <li>- "E"=TM / QUE / UNICLA;</li> <li>- For SD5H14 and SD7H15 contact with After Sales Department</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Kit with automatic tensioner. Long maintenance intervals</li> <li>- Only for vehicles equipped with the N63 crankshaft pulley</li> <li>- When vehicle is not equipped with the crankshaft pulley N63, request the crankshaft pulley P/N 111200171</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171 (Intercooler).</li> </ul>	
<b>Clutch type</b>	Without clutch pulley	With clutch pulley	Without clutch pulley	
	Poly-V Ø119 4.660 rpm	Poly-V 6K Ø157 3.530 rpm	Poly-V Ø119 4.660 rpm	
<b>Kit No.</b>	KC09070171	KC09070171E/S	KC18110471	
<b>Last update</b>	2020-03-16		2020-03-16	



Mercedes-Benz





**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	SPRINTER		SPRINTER	
		210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD 213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD 216 / 316 / 416 / 516 - CDI / BlueTEC - RWD		210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD 213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD 216 / 316 / 416 / 516 - CDI / BlueTEC - RWD
Year	(2014>)		(2014>)	
Engine Type	OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)		OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)	
CV(kW) @ rpm	95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800		95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800	
N. of cylinders/cm3	4 / 2.143		4 / 2.143	
Volts	12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge
				
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD5L14 / SD7H15		TM 21 QP 21	
Comments	<ul style="list-style-type: none"> <li>- RWD= Rear wheel drive</li> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15.</li> <li>- For SD5H14/SD5L14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles</li> <li>- This kit is only suitable for vehicles with intercooler hose A9065285182</li> <li>- For vehicles equipped with the N63 option: compressor bracket plus crankshaft pulley</li> </ul>		<ul style="list-style-type: none"> <li>- Only for vehicles equipped with the N63 crankshaft pulley</li> <li>- When vehicle is not equipped with the crankshaft pulley N63, request code P/N 1111200171</li> <li>- Short intercooler hose (in order to avoid interferences with the kit) not included. Order P/N 1170000171.</li> <li>- Can be fit in right hand drive vehicles</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V Ø119 4.660 rpm	Poly-V 6K Ø157 3.530 rpm	Poly-V 8K Ø137 4.412 rpm	Poly-V 8K Ø137 4.412 rpm
Kit No.	KC14050363	KC14050363E/S	KC09090175	KC09090175E
Last update	2020-03-16		2020-03-16	



Mercedes-Benz





<b>Vehicle model</b>	<p align="center"><b>SPRINTER</b></p> <p align="center">210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD            213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD            216 / 316 / 416 / 516 - CDI / BlueTEC - RWD</p>	<p align="center"><b>SPRINTER</b></p> <p align="center">210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD            213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD            216 / 316 / 416 / 516 - CDI / BlueTEC - RWD</p>
<b>Year</b>	(2014>)	(2014>)
<b>Engine Type</b>	OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)	OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)
<b>CV(kW) @ rpm</b>	95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800	95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800
<b>N. of cylinders/cm3</b>	4 / 2.143	4 / 2.143
<b>Volts</b>	12	12
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	Suction	Discharge
		
<b>Compressors type</b>	CS55 / CS90	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- When vehicle is not equipped with the crankshaft pulley N63, request code P/N 1111200171.</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171 (Intercooler).</li> </ul>	<p align="center">THIS KIT IS ONLY COMPATIBLE WITH VEHICLES THAT HAVE THE ORIGINAL CRANKSHAFT PULLEY MERCEDES A6510300803 OR A6510300703</p> <ul style="list-style-type: none"> <li>- RWD= Rear wheel drive</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171.</li> <li>- Only for vehicles without original N63 PTO option.</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	Poly-V Ø95 6.080 rpm / Poly-V Ø99 5.834	2A Ø135 3.300 rpm
<b>Kit No.</b>	<b>KC12020264</b>	<b>KC09070172</b>
<b>Last update</b>	2015-03-05	2020-03-16



Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	SPRINTER 210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD 213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD 216 / 316 / 416 / 516 - CDI / BlueTEC - RWD		SPRINTER 210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD 213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD 216 / 316 / 416 / 516 - CDI / BlueTEC - RWD	
Year	(2014>)		(2014>)	
Engine Type	OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)		OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)	
CV(kW) @ rpm	95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800		95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800	
N. of cylinders/cm3	4 / 2.143		4 / 2.143	
Volts	12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge
				
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	<p>THIS KIT IS ONLY COMPATIBLE WITH VEHICLES THAT HAVE THE ORIGINAL CRANKSHAFT PULLEY MERCEDES A6510300803 OR A6510300703</p> <ul style="list-style-type: none"> <li>- RWD= Rear wheel drive</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171.</li> <li>- Only for vehicles without original N63 PTO option.</li> <li>- For SD5H14 and SD7H15 contact with After Sales Department</li> <li>- Kit with automatic tensioner. Long maintenance intervals</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>		<p>THIS KIT IS ONLY COMPATIBLE WITH VEHICLES THAT HAVE THE ORIGINAL CRANKSHAFT PULLEY MERCEDES LITENS A6510351612, A6510351812 OR A6510350912</p> <ul style="list-style-type: none"> <li>- RWD= Rear wheel drive</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171.</li> <li>- Only for vehicles without original N63 PTO option.</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	
	Poly-V Ø109 3.800 rpm	Poly-V 8K Ø119 3.480 rpm	2A Ø135 3.300 rpm	
Kit No.	KC18110472	KC18110472E	KC15010387	
Last update	2020-03-09		2020-02-25	



Mercedes-Benz

Vehicle model	SPRINTER 210 / 310 / 510 / 211 / 311 / 411 / 511 - CDI / BlueTEC - RWD 213 / 313 / 413 / 513 / 214 / 314 / 414 / 514 - CDI / BlueTEC - RWD 216 / 316 / 416 / 516 - CDI / BlueTEC - RWD		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC	
Year	(2014>)		(06/2006>)		(06/2006>)		(06/2006>)	
Engine Type	OM 651 DE22 LA (Euro 5b / Euro 6 b / Euro 6c Gr.III/ VI-C)		OM 642 DE30LA (Euro 4-5-6)		OM 642 DE30LA (Euro 4-5-6)		OM 642 DE30LA (Euro 4-5-6)	
CV(kW) @ rpm	95 (70) @ 3.800 114 (84) @ 3.800 129 (95) @ 3.800 143 (105) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800	
N. of cylinders/cm3	4 / 2.143		6 / 2.987		6 / 2.987		6 / 2.987	
Volts	12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction		Discharge		Suction		Discharge	
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	THIS KIT IS ONLY COMPATIBLE WITH VEHICLES THAT HAVE THE ORIGINAL CRANKSHAFT PULLEY MERCEDES LITENS A6510351612, A6510351812 OR A6510350912  - RWD= Rear wheel drive - Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171. - Only for vehicles without original N63 PTO option. - For SD5H14 and SD7H15 contact with After Sales Department - Kit with automatic tensioner. Long maintenance intervals - Can be fit in right hand drive vehicles.		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - Only for vehicles with original N63 PTO option. - The kit is suitable for vehicles 4x4		- Only for vehicles with original N63 PTO option. - When the vehicle is not equipped with the N63 option order, P/N 1170000192. - Can be fit in right hand drive vehicles. - The kit is suitable for vehicles 4x4		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - Only for vehicles without original N63 PTO option. - The kit is suitable for vehicles 4x4	
Clutch type	Without clutch pulley		With clutch pulley		Without clutch pulley		With clutch pulley	
	Poly-V 8K Ø119 3.480 rpm		Poly-V 8K Ø119 3.480 rpm		Poly-V Ø119 4.694 rpm		Poly-V 6K Ø142 3.934 rpm	
Kit No.	KC18110473		KC18110473E		KC06100089	KC06100089E/S	KC10050192	KC10050192E
Last update	2020-03-09		2020-03-13		2020-01-21		2020-03-16	











Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS







Vehicle model	SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 216 / 316 / 516 Petrol 316 / 516 NGT 316 / 516 GLP		SPRINTER 208 / 308 / 408 / 211 / 311 / 411 CDI 213 / 313 / 413 CDI 216 / 316 / 416 / 616 CDI	
Year	(06/2006>)		(06/2006>)		(2008>)		(2000>06/2006)	
Engine Type	OM 642 DE30LA (Euro 4-5-6)		OM 642 DE30LA (Euro 4-5-6)		M 271 E18 ML (Euro 4 / Euro 5 / Euro 6)		OM 611 DE 22 LA OM 612 DE 27 LA (Euro 3)	
CV(kW) @ rpm	184 (135) @ 3.800 190 (140) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800		155 (114) @ 5.000		82 (60) / 109 (80) @ 3.800 129 (95) @ 3.800 156 (115) @ 3.800	
N. of cylinders/cm3	6 / 2.987		6 / 2.987		4 / 1.796		4 / 2.151 5 / 2.686	
Volts	12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
								
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		CS90		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15.</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Only for vehicles without original N63 PTO option.</li> <li>- The kit is suitable for vehicles 4x4</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- Only for vehicles without original N63 PTO option.</li> <li>- The kit is suitable for vehicles 4x4</li> </ul>		<ul style="list-style-type: none"> <li>- Tool Crankshaft Pulley not included. P/N 1152000168.</li> <li>- Can be fit in right hand drive vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley
	Poly-V Ø119 4.694 rpm	Poly-V 6K Ø142 3.934 rpm	Poly-V 6K Ø95 5.880 rpm		2A Ø135 4.000 rpm		Poly-V Ø119 4.854 rpm	Poly-V 6K Ø178 3.244 rpm
Kit No.	KC11050231-H	KC11050231-HE	KC13090342		KC09060168		KC05090001	KC05090001E/S
Last update	2014-11-07 IS		2014-04-13		2014-01-30		2013-12-17	



Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS





Vehicle model	SPRINTER 208 / 308 / 408 / 211 / 311 / 411 CDI 213 / 313 / 413 CDI 216 / 316 / 416 / 616 CDI		SPRINTER 208 / 308 / 408 / 211 / 311 / 411 CDI 213 / 313 / 413 CDI 216 / 316 / 416 / 616 CDI		SPRINTER 210 / 310 / 510 - CDI / BlueTEC 213 / 313 / 413 / 513 - CDI / BlueTEC 216 / 316 / 416 / 516 - CDI / BlueTEC	
	Year	(2000>06/2006)		(2000>06/2006)		(2009>)
Engine Type	OM 611 DE 22 LA OM 612 DE 27 LA (Euro 3)		OM 611 DE 22 LA OM 612 DE 27 LA (Euro 3)		OM 651 DE22 LA (Euro 5)	
CV(kW) @ rpm	82 (60) / 109 (80) @ 3.800 129 (95) @ 3.800 156 (115) @ 3.800		82 (60) / 109 (80) @ 3.800 129 (95) @ 3.800 156 (115) @ 3.800		95 (70) @ 3.800 129 (95) @ 3.800 163 (120) @ 3.800	
N. of cylinders/cm3	4 / 2.151 5 / 2.686		4 / 2.151 5 / 2.686		4 / 2.143	
Volts	12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15 / SD7L15</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Only for vehicles with original N60 PTO option</li> <li>- Only for vehicles with original dual compressor bracket</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15 / SD7L15</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Only for vehicles with original N60 PTO option</li> <li>- The original bracket for two compressors is included in the kit</li> <li>- Crankshaft Pulley not included in the kit. The vehicle must be equipped with the original pulley Mercedes N60, A6110301003 for the 4-cylinder engine and A6120300503 for the 5-cylinder</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN (only for SD7H15)</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Only for vehicles equipped with the N63 crankshaft pulley</li> <li>- When vehicle is not equipped with the crankshaft pulley N63, request the crankshaft pulley P/N 111200171</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171 (Intercooler).</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	2A Ø135 3.716 rpm	1A Ø150 3.344 rpm	2A Ø135 3.716 rpm	1A Ø150 3.344 rpm	Poly-V Ø119 4.660 rpm	Poly-V 6K Ø157 3.530 rpm
Kit No.	KC05100002      KC05100002E/S		KC05100003      KC05100003E/S		KC09070171      KC09070171E/S	
Last update	2013-12-17		2013-12-17		2020-03-16	



Mercedes-Benz









**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	SPRINTER 210 / 310 / 510 - CDI / BlueTEC 213 / 313 / 413 / 513 - CDI / BlueTEC 216 / 316 / 416 / 516 - CDI / BlueTEC		SPRINTER 210 / 310 / 510 - CDI / BlueTEC 213 / 313 / 413 / 513 - CDI / BlueTEC 216 / 316 / 416 / 516 - CDI / BlueTEC		SPRINTER 210 / 310 / 510 - CDI / BlueTEC 213 / 313 / 413 / 513 - CDI / BlueTEC 216 / 316 / 416 / 516 - CDI / BlueTEC	
Year	(2009>)		(2009>)		(2009>)	
Engine Type	OM 651 DE22 LA (Euro 5)		OM 651 DE22 LA (Euro 5)		OM 651 DE22 LA (Euro 5)	
CV(kW) @ rpm	95 (70) @ 3.800 129 (95) @ 3.800 163 (120) @ 3.800		95 (70) @ 3.800 129 (95) @ 3.800 163 (120) @ 3.800		95 (70) @ 3.800 129 (95) @ 3.800 163 (120) @ 3.800	
N. of cylinders/cm3	4 / 2.143		4 / 2.143		4 / 2.143	
Volts	12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD5L14 / SD7H15		CS55 / CS90		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15.</li> <li>- For SD5H14/SD5L14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles</li> <li>- This kit is only suitable for vehicles with intercooler hose A9065285182</li> <li>- For vehicles equipped with the N63 option: compressor bracket plus crankshaft pulley</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- When vehicle is not equipped with the crankshaft pulley N63, request code P/N 1111200171.</li> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171 (Intercooler).</li> </ul>		<p>THIS KIT IS ONLY COMPATIBLE WITH VEHICLES THAT HAVE THE ORIGINAL CRANKSHAFT PULLEY MERCEDES A6510300803 OR A6510300703</p> <ul style="list-style-type: none"> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 1170000171.</li> <li>- Only for vehicles without original N63 PTO option.</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	
	Poly-V Ø119 4.660 rpm	Poly-V 6K Ø157 3.530 rpm	Poly-V Ø95 6.080 rpm / Poly-V Ø99 5.834		2A Ø135 3.300 rpm	
Kit No.	KC14050363	KC14050363E/S	KC12020264		KC09070172	
Last update	2020-03-16		2015-03-05		2020-03-16	



Mercedes-Benz

Vehicle model	SPRINTER 210 / 310 / 510 - CDI / BlueTEC 213 / 313 / 413 / 513 - CDI / BlueTEC 216 / 316 / 416 / 516 - CDI / BlueTEC		SPRINTER 210 / 310 / 510 - CDI / BlueTEC 213 / 313 / 413 / 513 - CDI / BlueTEC 216 / 316 / 416 / 516 - CDI / BlueTEC		SPRINTER 209 / 309 / 509 / 211 / 311 / 411 / 511 CDI 213 / 313 / 215 / 315 / 415 / 515 CDI	
Year	(2009>)		(2009>)		(06/2006>)	
Engine Type	OM 651 DE22 LA (Euro 5)		OM 651 DE22 LA (Euro 5)		OM 646 DE LA (Euro 4)	
CV(kW) @ rpm	95 (70) @ 3.800 129 (95) @ 3.800 163 (120) @ 3.800		95 (70) @ 3.800 129 (95) @ 3.800 163 (120) @ 3.800		88 (65) / 109 (80) @ 3.800 129 (95) / 150 (110) @ 3.800	
N. of cylinders/cm3	4 / 2.143		4 / 2.143		4 / 2.148	
Volts	12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	<p>THIS KIT IS ONLY COMPATIBLE WITH VEHICLES THAT HAVE THE ORIGINAL CRANKSHAFT PULLEY MERCEDES LITENS A6510351612 OR A6510350912</p> <ul style="list-style-type: none"> <li>- Models 210 / 310 / 510 CDI, Engine 95CV (70kW) you must order P/N 117000171.</li> <li>- Only for vehicles without original N63 PTO option.</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>		<ul style="list-style-type: none"> <li>- Only for vehicles equipped with the N63 crankshaft pulley</li> <li>- When vehicle is not equipped with the crankshaft pulley N63, request code P/N 1111200171</li> <li>- Short intercooler hose (in order to avoid interferences with the kit) not included. Order P/N 1170000171.</li> <li>- Can be fit in right hand drive vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- When vehicle is not equipped with the crankshaft pulley N63, request code P/N 1111000076</li> <li>- Can be fit in right hand drive vehicles</li> </ul>	
Clutch type	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	
	2A Ø135 3.300 rpm		Poly-V 8K Ø137 4.412 rpm	Poly-V 8K Ø137 4.412 rpm	2A Ø135 3.740 rpm	
Kit No.	KC15010387		KC09090175	KC09090175E	KC06060076	
Last update	2020-02-25		2015-03-05		2013-12-17	



Mercedes-Benz

Vehicle model	SPRINTER 209 / 309 / 509 / 211 / 311 / 411 / 511 CDI 213 / 313 / 215 / 315 / 415 / 515 CDI		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC			
Year	(06/2006>)		(06/2006>)		(06/2006>)		(06/2006>)		(06/2006>)			
Engine Type	OM 646 DE LA (Euro 4)		OM 642 DE LA (Euro 4-5-6)		OM 642 DE LA (Euro 4-5-6)		OM 642 DE LA (Euro 4-5-6)		OM 642 DE LA (Euro 4-5-6)			
CV(kW) @ rpm	88 (65) / 109 (80) @ 3.800 129 (95) / 150 (110) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800		184 (135) @ 3.800 190 (140) @ 3.800			
N. of cylinders/cm3	4 / 2.148		6 / 2.987		6 / 2.987		6 / 2.987		6 / 2.987			
Volts	12		12		12		12		12			
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C			
Recommended fittings	Suction		Discharge		Suction		Discharge		Suction		Discharge	
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15			
Comments	- Only for vehicles with original N63 PTO option (Bracket compressor and crankshaft pulley). - Can be fit in right hand drive vehicles.		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - Only for vehicles with original N63 PTO option.		- Only for vehicles with original N63 PTO option. - When the vehicle is not equipped with the N63 option order, P/N 1170000192. - Can be fit in right hand drive vehicles.		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - Only for vehicles without original N63 PTO option.		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - Only for vehicles without original N63 PTO option.			
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley	
	2A Ø135 3.740 rpm		Poly-V Ø119 4.694 rpm		Poly-V 6K Ø142 3.934 rpm		Poly-V 8K Ø137 3.964 rpm		Poly-V Ø119 4.694 rpm		Poly-V 6K Ø142 3.934 rpm	
Kit No.	KC08100141		KC06100089 KC06100089E/S		KC10050192 KC10050192E		KC11050231 KC11050231E/S		KC11050231-H KC11050231-HE			
Last update	2014-07-24		2020-03-16		2020-03-16		2020-03-16		2014-11-07 IS			




Mercedes-Benz

Vehicle model	SPRINTER 218 / 318 / 418 / 518 CDI 219 / 319 / 419 / 519 BlueTEC		SPRINTER 216 / 316 / 516 Petrol 316 / 516 NGT 316 / 516 GLP		SPRINTER 224 / 324 / 424 / 524 Petrol 224 / 324 / 424 / 524 GLP		SPRINTER 224 / 324 / 424 / 524 Petrol 224 / 324 / 424 / 524 GLP		VARIO 614D / 814D / 615D / 815D / 618D / 818D 613D / 616D / 618D / 813D / 816D / 818D	
Year	(06/2006>)		(2008>)		(09/2008>)		(09/2008>)		(1997>)	
Engine Type	OM 642 DE LA (Euro 4-5-6)		M 271 E18 ML (Euro 4 / Euro 5 / Euro 6)		M 272 E 35 (Euro 4 / Euro 5)		M 272 E 35 (Euro 4 / Euro 5)		OM 904 LA (Euro 3) OM 904 LA (Euro 4) OM 904 LA (Euro 5)	
CV(kW) @ rpm	184 (135) @ 3.800 190 (140) @ 3.800		155 (114) @ 5.000		258 (190) @ 5.900		258 (190) @ 5.900		136 (100) / 150 (110) / 177 (130) @ 2.200 129 (95) / 156 (115) / 177 (130) @ 2.200	
N. of cylinders/cm3	6 / 2.987		4 / 1.796		6 / 3.498		6 / 3.498		4 / 4.249	
Volts	12		12		12		12		24	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	CS90		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 21 QP 21		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	- Can be fit in right hand drive vehicles. - Only for vehicles without original N63 PTO option.		- Tool Crankshaft Pulley not included. P/N 1152000168. - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA;"S"=SANDEN - Can be fit in right hand drive vehicles. - To install this kit it is essential to use the special tool code P/N 1149000142 - For compressor TM-08/UP-90 ordered P/N 1128000142.		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - To install this kit it is essential to use the special tool code P/N 1149000142		- Can be fit in right hand drive vehicles	
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	
	Poly-V 6K Ø95 5.880 rpm		2A Ø135 4.000 rpm		Poly-V 8K Ø119 4.958 rpm	Poly-V 8K Ø157 3.758 rpm	Poly-V 8K Ø137 4.306 rpm	Poly-V 8K Ø137 4.306 rpm	2A Ø135 2.860 rpm	
Kit No.	KC13090342		KC09060168		KC08110142	KC08110142E	KC13050326	KC13050326E	KC05100022	
Last update	2014-04-13		2014-01-30		2014-01-30		2015-09-02		2013-12-17	







Mercedes-Benz

<b>Vehicle model</b>	VARIO 613D / 616D / 618D 813D / 816D / 818D	VARIO 613D / 616D / 618D 813D / 816D / 818D	AXOR 1823 / 1828 / 2523 / 2528 AXOR 1824 / 1826 / 1829 / 2529
<b>Year</b>	(1997>)	(1997>)	(2005>)
<b>Engine Type</b>	OM 904 LA (Euro 3) OM 904 LA (Euro 4) OM 904 LA (Euro 5)	OM 904 LA (Euro 3) OM 904 LA (Euro 4) OM 904 LA (Euro 5)	OM 906 LA (Euro 3-4-5)
<b>CV(kW) @ rpm</b>	129 (95) / 156 (115) / 177 (130) @ 2.200	129 (95) / 156 (115) / 177 (130) @ 2.200	231 (170) @ 2.200 279 (205) @ 2.200
<b>N. of cylinders/cm3</b>	4 / 4.249	4 / 4.249	6 / 6.374
<b>Volts</b>	24	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C	Only Vehicles without A/C
<b>Recommended fittings</b>	Suction Discharge	Suction Discharge	Suction Discharge 
<b>Compressors type</b>	CR2318 / CR2323	CS90 / CS150	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15
<b>Comments</b>	- Can be fit in right hand drive vehicles. - Fittings not included, see drawing.	- Can be fit in right hand drive vehicles. - Fittings not included, see drawing.	- It's possible to mount the kit on vehicles with A/C although it's necessary to modify the routing of the original A/C piping - Can be fit in right hand drive vehicles
<b>Clutch type</b>	Without clutch pulley 1B Ø152 / 1B Ø155 2.790 rpm	Without clutch pulley 1B Ø128 3.953 rpm / 1B Ø134 3.776 rpm	Without clutch pulley 2A Ø135 2.860 rpm
<b>Kit No.</b>	KC09100183	KC11030218	KC05100004
<b>Last update</b>	2009-12-18	2013-08-08	2013-12-17







Mercedes-Benz

<b>Vehicle model</b>	AXOR 1823 / 1828 / 2523 / 2528 AXOR 1824 / 1826 / 1829 / 2529		AXOR 1823 / 1828 / 2523 / 2528 AXOR 1824 / 1826 / 1829 / 2529		AXOR 1823 / 1828 / 2523 / 2528 AXOR 1824 / 1826 / 1829 / 2529		Econic 1827/1830/1835	
<b>Year</b>	(1998>)		(1998>)		(1998>)		(2014>)	
<b>Engine Type</b>	OM 906 LA (Euro 3-4-5)		OM 904 LA (Euro 3-4-5) OM 924 LA (Euro 3-4-5)		OM 904 LA (Euro 3-4-5) OM 924 LA (Euro 3-4-5)		OM936 (Euro 6)	
<b>CV(kW) @ rpm</b>	231 (170) / 279 (205) @ 2.200 238 (175) / 256 (188) / 286 (210) @ 2.200		122 (90) / 150 (110) @ 2.200 129 (95) / 156 (115) @ 2.200 177 (130) / 218 (160) @ 2.200		122 (90) / 150 (110) @ 2.200 129 (95) / 156 (115) @ 2.200 177 (130) / 218 (160) @ 2.200		200 (147) @ 2.200 220 (162) @ 2.200 260 (191) @ 2.200	
<b>N. of cylinders/cm3</b>	6 / 6.374		4 / 4.249 4 / 4.800		4 / 4.249 4 / 4.800		6 / 7.700	
<b>Volts</b>	24		24		24		24	
<b>Air Conditioning</b>	Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<i>Suction</i>		<i>Discharge</i>		<i>Suction</i>		<i>Discharge</i>	
								
<b>Compressors type</b>	TM 21 QP 21		CR2318		CR2323		TM 21 / QP21	
<b>Comments</b>	- Can't be fit in right hand drive vehicles - TM-21 Clutch 1B Ø150 / 2B Ø149 - Fittings not included in the kit		- Can't be fit in right hand drive vehicles - Fittings not included in the kit		- Can't be fit in right hand drive vehicles - Fittings not included in the kit		- Can be fit in right hand drive vehicles - Fittings not included in the kit	
<b>Clutch type</b>	<i>Without clutch pulley</i>		<i>With clutch pulley</i>		<i>Without clutch pulley</i>		<i>Without clutch pulley</i>	
	1B Ø150 / 2B Ø149 2.845 rpm		1B Ø150 / 2.845 rpm		1B Ø152 / 2.845 rpm		1B Ø155 / 2.845 rpm	
<b>Kit No.</b>	KC13020310		KC13020310E		KC13020311		KC13020312	
<b>Last update</b>	2013-09-10		2013-02-12		2013-02-12		2019-03-27	







Mercedes-Benz

<b>Vehicle model</b>	ATEGO 716 / 816 / 916 / 818 / 918 / 1018 / 1218 / 1318 / 1518 821 / 921 / 1021 / 1221 / 1321 / 1521 823 / 923 / 1023 / 1223 / 1323 / 1523	ATEGO 716 / 816 / 916 / 818 / 918 / 1018 / 1218 / 1318 / 1518 821 / 921 / 1021 / 1221 / 1321 / 1521 823 / 923 / 1023 / 1223 / 1323 / 1523
<b>Year</b>	(2014>)	(2014>)
<b>Engine Type</b>	OM934 (Euro 6)	OM934 (Euro 6)
<b>CV(kW) @ rpm</b>	156 (115) @ 2.200 177 (130) @ 2.200 211 (155) @ 2.200 231 (170) @ 2.200	156 (115) @ 2.200 177 (130) @ 2.200 211 (155) @ 2.200 231 (170) @ 2.200
<b>N. of cylinders/cm3</b>	4 / 5.132	4 / 5.132
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b> 	<b>Discharge</b> 
		
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16	TM 21 QP 21
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- This kit is not suitable for vehicles with the option N7.</li> </ul>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- This kit is not suitable for vehicles with the option N7.</li> </ul>
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	2A Ø135 3.000 rpm	2A Ø145 2.790 rpm
<b>Kit No.</b>	KC14020347	KC14030351
<b>Last update</b>	2014-05-12	2020-03-06



Mercedes-Benz







<b>Vehicle model</b>	ATEGO 716 / 816 / 916 / 818 / 918 / 1018 / 1218 / 1318 / 1518 821 / 921 / 1021 / 1221 / 1321 / 1521 823 / 923 / 1023 / 1223 / 1323 / 1523	ATEGO 716 / 816 / 916 / 818 / 918 / 1018 / 1218 / 1318 / 1518 821 / 921 / 1021 / 1221 / 1321 / 1521 823 / 923 / 1023 / 1223 / 1323 / 1523
<b>Year</b>	(2014>)	(2014>)
<b>Engine Type</b>	OM934 (Euro 6)	OM934 (Euro 6)
<b>CV(kW) @ rpm</b>	156 (115) @ 2.200 177 (130) @ 2.200 211 (155) @ 2.200 231 (170) @ 2.200	156 (115) @ 2.200 177 (130) @ 2.200 211 (155) @ 2.200 231 (170) @ 2.200
<b>N. of cylinders/cm3</b>	4 / 5.132	4 / 5.132
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>
		
<b>Compressors type</b>	CS90 / CS150	CR2318 / CR2323
	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- FOR VEHICLES EQUIPPED WITH OPTION N7C</li> </ul>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- FOR VEHICLES EQUIPPED WITH OPTION N7C</li> </ul>
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	7K Ø95 5.928 rpm / 7K Ø115 4.897 rpm	6K Ø145 2.791 rpm
<b>Kit No.</b>	KC14040356	KC14060364
<b>Last update</b>	2015-07-17	2015-11-16



Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS



Vehicle model	ATEGO 824 / 924 / 1024 / 1224 / 1324 / 1524 1227 / 1327 / 1527 1230 / 1330 / 1530		ATEGO 824 / 924 / 1024 / 1224 / 1324 / 1524 1227 / 1327 / 1527 1230 / 1330 / 1530		ATEGO 824 / 924 / 1024 / 1224 / 1324 / 1524 1227 / 1327 / 1527 1230 / 1330 / 1530	
Year	(2014>)		(2014>)		(2014>)	
Engine Type	OM936 (Euro 6)		OM936 (Euro 6)		OM936 (Euro 6)	
CV(kW) @ rpm	238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200		238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200		238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200	
N. of cylinders/cm3	6 / 7.700		6 / 7.700		6 / 7.700	
Volts	24		24		24	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16		TM 21 QP 21		CS90 / CS150	
Comments	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- This kit is not suitable for vehicles with the option N7.</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> <li>- This kit is not suitable for vehicles with the option N7.</li> </ul>		<ul style="list-style-type: none"> <li>- Only for vehicles equipped with the original N7C option</li> <li>- Can be fit in right hand drive vehicles</li> </ul>	
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley	
	2A Ø135 3.000 rpm		2A Ø145 2.790 rpm		8K Ø95 5.928 rpm / 8K Ø115 4.897 rpm	
Kit No.	KC13120343		KC13120344		KC14040352	
Last update	2014-05-27		2015-01-09		2017-09-12	



Mercedes-Benz





**OLIVA TORRAS**  
MOUNT & DRIVE KITS

<b>Vehicle model</b>	ATEGO 824 / 924 / 1024 / 1224 / 1324 / 1524 1227 / 1327 / 1527 1230 / 1330 / 1530	ATEGO 712 / 812 / 713 / 813 / 715 / 815 / 915 1015 / 1215 / 716 / 816 / 916 / 1016 / 1216 / 818 / 918 / 1018 1218 / 1318 / 1518 / 822 / 922 / 1022 / 1222 / 1322 / 1522
<b>Year</b>	(2014>)	(1998>)
<b>Engine Type</b>	OM936 (Euro 6)	OM 904 LA (Euro 3-4-5) OM 924 LA (Euro 3-4-5)
<b>CV(kW) @ rpm</b>	238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200	122 (90) / 150 (110) @ 2.200 129 (95) / 156 (115) @ 2.200 177 (130) / 218 (160) @ 2.200
<b>N. of cylinders/cm3</b>	6 / 7.700	4 / 4.249 4 / 4.800
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<i>Suction</i>	<i>Discharge</i>
		
<b>Compressors type</b>	CR2318 / CR2323	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15
	- Can be fit in right hand drive vehicles - Fittings not included in the kit - FOR VEHICLES EQUIPPED WITH OPTION N7C	- Can be fit in right hand drive vehicles
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	6K Ø145 2.791 rpm	2A Ø135 2.860 rpm
<b>Kit No.</b>	KC14060364	KC05100004
<b>Last update</b>	2015-11-16	2012-07-30



Mercedes-Benz

<b>Vehicle model</b>	ATEGO 712 / 812 / 713 / 813 / 715 / 815 / 915 1015 / 1215 / 716 / 816 / 916 / 1016 / 1216 / 818 / 918 / 1018 1218 / 1318 / 1518 / 822 / 922 / 1022 / 1222 / 1322 / 1522		ATEGO 712 / 812 / 713 / 813 / 715 / 815 / 915 1015 / 1215 / 716 / 816 / 916 / 1016 / 1216 / 818 / 918 / 1018 1218 / 1318 / 1518 / 822 / 922 / 1022 / 1222 / 1322 / 1522	
	Year (1998>)		Year (1998>)	
<b>Engine Type</b>	OM 904 LA (Euro 3-4-5) OM 924 LA (Euro 3-4-5)		OM 904 LA (Euro 3-4-5) OM 924 LA (Euro 3-4-5)	
<b>CV(kW) @ rpm</b>	122 (90) / 150 (110) @ 2.200 129 (95) / 156 (115) @ 2.200 177 (130) / 218 (160) @ 2.200		122 (90) / 150 (110) @ 2.200 129 (95) / 156 (115) @ 2.200 177 (130) / 218 (160) @ 2.200	
<b>N. of cylinders/cm3</b>	4 / 4.249 4 / 4.800		4 / 4.249 4 / 4.800	
<b>Volts</b>	24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	Suction	Discharge	Suction	Discharge
				
<b>Compressors type</b>	TM 21 QP 21		CR2318	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- TM-21 Clutch 1B Ø150 / 2B Ø149</li> <li>- Fittings not included in the kit</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> </ul>	
<b>Clutch type</b>	Without clutch pulley	With clutch pulley	Without clutch pulley	
	1B Ø150 / 2B Ø149 2.845 rpm	1B Ø150 / 2.845 rpm	1B Ø152 / 2.845 rpm	
<b>Kit No.</b>	KC13020310	KC13020310E	KC13020311	
<b>Last update</b>	2013-09-10		2013-02-21	



Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS





<b>Vehicle model</b>	ATEGO 712 / 812 / 713 / 813 / 715 / 815 / 915 1015 / 1215 / 716 / 816 / 916 / 1016 / 1216 / 818 / 918 / 1018 1218 / 1318 / 1518 / 822 / 922 / 1022 / 1222 / 1322 / 1522		ATEGO 712 / 812 / 713 / 813 / 715 / 815 / 915 1015 / 1215 / 716 / 816 / 916 / 1016 / 1216 / 818 / 918 / 1018 1218 / 1318 / 1518 / 822 / 922 / 1022 / 1222 / 1322 / 1522	
	Year (1998>)		Year (1998>)	
<b>Engine Type</b>	OM 904 LA (Euro 3-4-5) OM 924 LA (Euro 3-4-5)		OM 904 LA (Euro 3-4-5) OM 924 LA (Euro 3-4-5)	
<b>CV(kW) @ rpm</b>	122 (90) / 150 (110) @ 2.200 129 (95) / 156 (115) @ 2.200 177 (130) / 218 (160) @ 2.200		122 (90) / 150 (110) @ 2.200 129 (95) / 156 (115) @ 2.200 177 (130) / 218 (160) @ 2.200	
<b>N. of cylinders/cm3</b>	4 / 4.249 4 / 4.800		4 / 4.249 4 / 4.800	
<b>Volts</b>	24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	Suction	Discharge	Suction	Discharge
<b>Compressors type</b>	CR2323		CS90 / CS150	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles</li> <li>- Fittings not included in the kit</li> </ul>		<ul style="list-style-type: none"> <li>- Can't be fit in right hand drive vehicles.</li> <li>- Fittings not included in the kit</li> </ul>	
<b>Clutch type</b>	Without clutch pulley		Without clutch pulley	
	1B Ø 155 / 2.845 rpm		1B Ø 128 / 3.953 rpm 1B Ø 134 / 3.776 rpm	
<b>Kit No.</b>	KC13020312		KC11030219	
<b>Last update</b>	2013-02-21		2013-05-28	



Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

<b>Vehicle model</b>	ATEGO 823 / 923 / 1023 / 1223 / 1323 / 1523 824 / 924 / 1024 / 1224 / 1324 / 1524 1226 / 1326 / 1526 / 1228 / 1328 / 1528 / 1229 / 1329 / 1529		ATEGO 823 / 923 / 1023 / 1223 / 1323 / 1523 824 / 924 / 1024 / 1224 / 1324 / 1524 1226 / 1326 / 1526 / 1228 / 1328 / 1528 / 1229 / 1329 / 1529	
	<b>Year</b>	(1998>)		(1998>)
<b>Engine Type</b>	OM 906 LA (Euro 3) OM 906 LA (Euro 4) OM 906 LA (Euro 5)		OM 906 LA (Euro 3) OM 906 LA (Euro 4) OM 906 LA (Euro 5)	
<b>CV(kW) @ rpm</b>	231 (170) / 279 (205) @ 2.200 238 (175) / 256 (188) / 286 (210) @ 2.200		231 (170) / 279 (205) @ 2.200 238 (175) / 256 (188) / 286 (210) @ 2.200	
<b>N. of cylinders/cm3</b>	6 / 6.374		6 / 6.374	
<b>Volts</b>	24		24	
<b>Air Conditioning</b>	Vehicles with or without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	<b>Suction</b>	<b>Discharge</b>	<b>Suction</b>	<b>Discharge</b>
				
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 21 QP 21	
<b>Comments</b>	- Can be fit in right hand drive vehicles		- Can't be fit in right hand drive vehicles - TM-21 Clutch 1B Ø150 / 2B Ø149 - Fittings not included in the kit	
<b>Clutch type</b>	Without clutch pulley		Without clutch pulley	With clutch pulley
	2A Ø135 2.860 rpm		1B Ø150 / 2B Ø149 2.845 rpm	1B Ø150 / 2.845 rpm
<b>Kit No.</b>	KC05100004		KC13020310	KC13020310E
<b>Last update</b>	2013-12-17		2013-09-10	





Mercedes-Benz

<b>Vehicle model</b>	ATEGO 823 / 923 / 1023 / 1223 / 1323 / 1523 824 / 924 / 1024 / 1224 / 1324 / 1524 1226 / 1326 / 1526 / 1228 / 1328 / 1528 / 1229 / 1329 / 1529	ATEGO 823 / 923 / 1023 / 1223 / 1323 / 1523 824 / 924 / 1024 / 1224 / 1324 / 1524 1226 / 1326 / 1526 / 1228 / 1328 / 1528 / 1229 / 1329 / 1529
<b>Year</b>	(1998>)	(1998>)
<b>Engine Type</b>	OM 906 LA (Euro 3) OM 906 LA (Euro 4) OM 906 LA (Euro 5)	OM 906 LA (Euro 3) OM 906 LA (Euro 4) OM 906 LA (Euro 5)
<b>CV(kW) @ rpm</b>	231 (170) / 279 (205) @ 2.200 238 (175) / 256 (188) / 286 (210) @ 2.200	231 (170) / 279 (205) @ 2.200 238 (175) / 256 (188) / 286 (210) @ 2.200
<b>N. of cylinders/cm3</b>	6 / 6.374	6 / 6.374
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	Suction	Discharge
<b>Compressors type</b>	CR2318	CR2323
<b>Comments</b>	- Can't be fit in right hand drive vehicles - Fittings not included in the kit	- Can't be fit in right hand drive vehicles - Fittings not included in the kit
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	1B Ø 152 / 2.845 rpm	1B Ø 155 / 2.845 rpm
<b>Kit No.</b>	KC13020311	KC13020312
<b>Last update</b>	2013-03-19	2013-03-19





Mercedes-Benz





	ATEGO	ANTOS
<b>Vehicle model</b>	823 / 923 / 1023 / 1223 / 1323 / 1523 824 / 924 / 1024 / 1224 / 1324 / 1524 1226 / 1326 / 1526 / 1228 / 1328 / 1528 / 1229 / 1329 / 1529	1824 / 1827 / 2427 / 2527 / 2627 / 1830 / 2430 / 2530 / 2630 1832 / 2432 / 2532 / 2632 / 1835 / 2435 / 2535 / 2635
<b>Year</b>	(1998>)	(2012>)
<b>Engine Type</b>	OM 906 LA (Euro 3) OM 906 LA (Euro 4) OM 906 LA (Euro 5)	OM 936 (Euro 6)
<b>CV(kW) @ rpm</b>	231 (170) / 279 (205) @ 2.200 238 (175) / 256 (188) / 286 (210) @ 2.200	238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200 320 (235) @ 2.200
<b>N. of cylinders/cm3</b>	6 / 6.374	6 / 7.700
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	Suction	Discharge
		
<b>Compressors type</b>	CS90 / CS150	TM 21 QP 21
<b>Comments</b>	- Can't be fit in right hand drive vehicles. - Fittings not included in the kit	- Can be fit in right hand drive vehicles - Only for vehicles WITHOUT the original N7 options
<b>Clutch type</b>	Without clutch pulley	Without clutch pulley
	1B Ø128 / 3.953 rpm 1B Ø134 / 3.776 rpm	2A Ø150 2.958 rpm
<b>Kit No.</b>	KC11030219	KC14060365
<b>Last update</b>	2013-05-28	2020-03-06



Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS



Vehicle model	ANTOS 1824 / 1827 / 2427 / 2527 / 2627 / 1830 / 2430 / 2530 / 2630 1832 / 2432 / 2532 / 2632 / 1835 / 2435 / 2535 / 2635	ANTOS 1824 / 1827 / 2427 / 2527 / 2627 / 1830 / 2430 / 2530 / 2630 1832 / 2432 / 2532 / 2632 / 1835 / 2435 / 2535 / 2635	ANTOS 1833 / 2433 / 2533 / 2633 / 1836 / 2436 / 2536 / 2636 1840 / 2440 / 2540 / 2640 / 1843 / 2443 / 2543 / 2643	
Year	(2014>)	(2012>)	(2012>)	
Engine Type	OM 936 (Euro 6)	OM936 (Euro 6)	OM 470 (Euro 6)	
CV(kW) @ rpm	238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200 320 (235) @ 2.200	238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200 320 (235) @ 2.200	326(240) @ 1100 360(265) @ 1100 394(290) @ 1100 428(315) @ 1100 *	
N. of cylinders/cm3	6 / 7.700	6 / 7.700	6 / 10.700	
Volts	24	24	24	
Air Conditioning	Vehicles with or without A/C	Vehicles with or without A/C	Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge
				
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16	CS90 / CS150	TM 21 QP 21	
Comments	- Can be fit in right hand drive vehicles - Only for vehicles WITHOUT the original N7 options	- Only for vehicles equipped with the original N7C option - Can be fit in right hand drive vehicles	- Can be fit in right hand drive vehicles  - IMPORTANT: Check in the Service Bulletin SB15030025 the suitability of the vehicle with our kits  This kit is suitable only for vehicles after March 2014. For the rest of the vehicles, contact Oliva Torras Mount & Drive Kits	
Clutch type	Without clutch pulley	Without clutch pulley	Without clutch pulley	
	2A Ø135 3.177 rpm	8K Ø95 5.928 rpm / 8K Ø115 4.897 rpm	1B Ø150 2.904 rpm	
Kit No.	KC14060366	KC14040352	KC13040322	
Last update	2016-04-22	2017-09-12	2014-12-01	



Mercedes-Benz





**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	ANTOS 1833 / 2433 / 2533 / 2633 / 1836 / 2436 / 2536 / 2636 1840 / 2440 / 2540 / 2640 / 1843 / 2443 / 2543 / 2643	ANTOS 1833 / 2433 / 2533 / 2633 / 1836 / 2436 / 2536 / 2636 1840 / 2440 / 2540 / 2640 / 1843 / 2443 / 2543 / 2643	ANTOS 1833 / 2433 / 2533 / 2633 / 1836 / 2436 / 2536 / 2636 1840 / 2440 / 2540 / 2640 / 1843 / 2443 / 2543 / 2643			
Year	(2012>)	(2012>)	(2012>)			
Engine Type	OM 470 (Euro 6)	OM 470 (Euro 6)	OM 470 (Euro 6)			
CV(kW) @ rpm	428(315) @ 1100 456(335) @ 1100 *	326(240) @ 1100 360(265) @ 1100 394(290) @ 1100 428(315) @ 1100 *	428(315) @ 1100 456(335) @ 1100 *			
N. of cylinders/cm3	6 / 10.700	6 / 10.700	6 / 10.700			
Volts	24	24	24			
Air Conditioning	Vehicles with or without A/C	Vehicles with or without A/C	Vehicles with or without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM 21 QP 21	CS90 / CS150	CS90 / CS150			
Comments	<ul style="list-style-type: none"> <li>- Kit also suitable for vehicles equipped with pneumatic suspension in the front axis.</li> <li>- Can be fit in right hand drive vehicles</li> <li>- IMPORTANT: Check in the Service Bulletin SB15030025 the suitability of the vehicle with our kits</li> <li>For this kit is necessary the N7G/N7H/V1Y option.</li> </ul>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- IMPORTANT: Check in the Service Bulletin SB15030025 the suitability of the vehicle with our kits</li> <li>This kit is suitable only for vehicles after March 2014. For the rest of the vehicles, contact Oliva Torras Mount &amp; Drive Kits</li> </ul>	<ul style="list-style-type: none"> <li>- Kit also suitable for vehicles equipped with pneumatic suspension in the front axis.</li> <li>- Can be fit in right hand drive vehicles</li> <li>- IMPORTANT: Check in the Service Bulletin SB15030025 the suitability of the vehicle with our kits</li> <li>For this kit is necessary the N7G/N7H/V1Y option</li> </ul>			
Clutch type	Without clutch pulley	Without clutch pulley	Without clutch pulley			
	8PK Ø 135 3200 rpm	1B Ø128 3.402 rpm / 1BØ134 2.904 rpm	6PK Ø95 4547 rpm / 6PK Ø115 3756 rpm			
Kit No.	KC14050360	KC12120299	KC17090442			
Last update	2020-02-26	2014-12-01	2017-10-09			



Mercedes-Benz

	ANTOS	ACTROS
<b>Vehicle model</b>	1833 / 2433 / 2533 / 2633 / 1836 / 2436 / 2536 / 2636 1840 / 2440 / 2540 / 2640 / 1843 / 2443 / 2543 / 2643	1824L / 1827L / 2427L / 2527L / 2627L / 1830L / 2430L / 2530L / 2630L 1832L / 2432L / 2532L / 2632L / 1835L / 2435L / 2535L / 2635L
<b>Year</b>	(2012>)	(2012>)
<b>Engine Type</b>	OM 470 (Euro 6)	OM 936 (Euro 6)
<b>CV(kW) @ rpm</b>	428(315) @ 1800 456(335) @ 1800 *	238 (175) @ 2.200 272 (200) @ 2.200 299 (220) @ 2.200 320 (235) @ 2.200
<b>N. of cylinders/cm3</b>	6 / 10.700	6 / 7.700
<b>Volts</b>	24	24
<b>Air Conditioning</b>	Vehicles with or without A/C	Vehicles with or without A/C
<b>Recommended fittings</b>	<i>Suction</i>	<i>Discharge</i>
		
<b>Compressors type</b>	SD7H15 SD7L15	TM 21 QP 21
	- No compatible Kit in vehicles equipped with pneumatic suspension in the front axis. - Can be fit in right hand drive vehicles - <b>IMPORTANT:</b> Check in the Service Bulletin SB15030025 the suitability of the vehicle with our kits For this kit is necessary the N7G/N7H/V1Y option	- Can be fit in right hand drive vehicles - Only for vehicles <b>WITHOUT</b> the original N7 options
<b>Clutch type</b>	With clutch pulley	Without clutch pulley
	6PK Ø157 2.751 rpm	2A Ø150 2.958 rpm
<b>Kit No.</b>	<b>KC15060392S</b>	<b>KC14060365</b>
<b>Last update</b>	2015-06-04	2018-11-15



Mercedes-Benz



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	ACTROS 1836L / 1841L / 1844L 1846L / 1848L		ACTROS 1836L / 1841L / 1844L 1846L / 1848L		ACTROS 1836L / 1841L / 1844L 1846L / 1848L	
Year	(2004>)		(2004>)		(2004>)	
Engine Type	OM 501 LA (Euro 4-5)		OM 501 LA (Euro 4-5)		OM 501 LA (Euro 4-5)	
CV(kW) @ rpm	360 (265) / 410 (301) / 440 (323) @ 1.800 460 (338) / 480 (353) @ 1.800		360 (265) / 410 (301) / 440 (323) @ 1.800 460 (338) / 480 (353) @ 1.800		360 (265) / 410 (301) / 440 (323) @ 1.800 460 (338) / 480 (353) @ 1.800	
N. of cylinders/cm3	6 / 11.950		6 / 11.950		6 / 11.950	
Volts	24		24		24	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 21 QP 21		CR2318 / CR2323		CS90 / CS150	
Comments	<ul style="list-style-type: none"> <li>- The vehicle must be equipped with Mercedes-Benz MN9 option</li> <li>- Can be fit in right hand drive vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- The vehicle must be equipped with Mercedes-Benz MN9 option.</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings not included, see drawing.</li> </ul>		<ul style="list-style-type: none"> <li>- The vehicle must be equipped with Mercedes-Benz MN9 option.</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Fittings supplied with refrigeration unit.</li> </ul>	
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley	
	Poly-V 6PK Ø137 4.125 rpm		Poly-V 6K Ø145 /Poly-V 7K Ø145 3.793 rpm		CS090 6PKØ90 6.290 rpm / CS150 6PKØ115 4.915 rpm	
Kit No.	KC13050327		KC09060166		KC11070239	
Last update	2013-09-27		2013-09-27		2013-04-29	