















Vehicle model	COMBO CARGO (PSA Platform) 1.5 TD		COMBO CARGO (PSA Platform) 1.5 TD		COMBO 1.3 CDTI		COMBO 1.4 CNG		COMBO 1.4 CNG		COMBO 1.4i	
Year	(2018>)		(2018>)		(09/2016>)		(2010>)		(2010>)		(2012>)	
Engine Type	DV5 RE (Euro 6.2) DV5 RD (Euro 6.2) DV5 RC (Euro 6.2)		DV5 RE (Euro 6.2) DV5 RD (Euro 6.2) DV5 RC (Euro 6.2)		330A1000 (Euro 6)		A14FCCNG (Euro 6)		A14FCCNG (Euro 6)		A14FP (Euro 6)	
CV(kW) @ rpm	75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		95 (70) @ 3.750		120 (88) @ 5.000		120 (88) @ 5.000		95 (70) @ 6.000	
N. of cylinders/cm3	4 / 1.499		4 / 1.499		4 / 1.248		4 / 1.368		4 / 1.368		4 / 1.368	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14		TM-QP 13 UP-UPF 120 SD5H14 / SD5L14		TM-QP 13 UP-UPF 120 SD5H14 / SD5L14		TM-QP 13 UP-UPF 120 SD5H14 / SD5L14	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - It's possible to mount the kit on vehicles with AC, although the AC compressor must be removed in order to fit the kit and the refrigeration compressor. In those cases, the accessories belt must be exchanged (use original reference Fiat 6PK1526; FPT 55218885). 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	2A Ø135 3.750 rpm		Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm
Kit No.	KC19020481	KC19020481E	KC19070492	KC19070492E	KC16100416		KC13070336	KC13070336E	KC17020427	KC17020427E	KC17030429	KC17030429E
Last update	2019-08-19		2019-08-07		2016-11-15		2014-06-18		2017-02-28		2019-10-28	



Vehicle model	COMBO 1.4i		COMBO CARGO 2018 (PSA Platform) 1.6 CDTI		COMBO CARGO 2018 (PSA Platform) 1.6 CDTI		COMBO 1.6 CDTI		COMBO 1.6 CDTI		COMBO 1.6 CDTI	
Year	(2012>)		(09/2018>)		(2018>)		(09/2016>2018)		(09/2016>2018)		(09/2016>2018)	
Engine Type	A14FP (Euro 6)		DV6FDU (Euro 6.1) DV6FCU (Euro 6.1)		DV6 (Euro 6.1)		263A8000 (Euro 6) 940C1000 (Euro 6)		263A8000 (Euro 6) 940C1000 (Euro 6)		263A8000 (Euro 6) 940C1000 (Euro 6)	
CV(kW) @ rpm	95 (70) @ 6.000		75 (55) @ 4.000 102 (75) @ 4.000		75 (55) @ 3.750 102 (75) @ 3.750		105 (77) @ 4.000 120 (88) @ 4.000		105 (77) @ 4.000 120 (88) @ 4.000		105 (77) @ 4.000 120 (88) @ 4.000	
N. of cylinders/cm3	4 / 1.368		4 / 1.560		4 / 1.560		4 / 1.598		4 / 1.598		4 / 1.598	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
												
Compressors type	TM-QP 13 UP-UPF 120 SD5H14 / SD5L14		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD7H15 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14	
Comments	- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø 119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A)		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A) - According to bodybuilder indications, the power take off is not suitable for the automatic gear box.		- Cannot be fit in right hand drive vehicles - Kit not suitable for the models 2018 Combo Life and Combo Cargo		- Cannot be fit in right hand drive vehicles - Kit not suitable for the models 2018 Combo Life and Combo Cargo		- Can be fit in right hand drive vehicles - Kit with independent belt for the refrigeration compressor - Kit not suitable for the models 2018 Combo Life and Combo Cargo	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	
	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	2A Ø135 4.888 rpm		2A Ø135 4.888 rpm		2A Ø135 3.496 rpm	
Kit No.	KC17020428	KC17020428E	KC16060408	KC16060408E/S	KC18100470	KC18100470E	KC16090415D		KC16090415		KC17060436	
Last update	2017-11-10		2019-01-11		2019-02-28		2017-03-20		2017-06-19		2019-05-17	



Vehicle model	COMBO 1.6 CDTI		COMBO 1.3 CDTI		COMBO 1.4 CNG 16V		COMBO 1.6 CDTI		COMBO 1.6 CDTI		COMBO 1.3 CDTI	
Year	(09/2016>2018)		(2010>)		(2012>)		(01/2012>)		(01/2012>)		(12/2011>)	
Engine Type	263A8000 (Euro 6) 940C1000 (Euro 6)		263 A2000 (Euro 5)		198A4000 CNG (Euro 5)		A16FDL (Euro 5)		A16FDL (Euro 5)		199A3000 (Euro 4)	
CV(kW) @ rpm	105 (77) @ 4.000 120 (88) @ 4.000		90 (66) @ 4.000		120 (88) @ 5.000		105 (77) @ 4.000		105 (77) @ 4.000		90 (66) @ 4.000	
N. of cylinders/cm3	4 / 1.598		4 / 1.248		4 / 1.368		4 / 1.598		4 / 1.598		4 / 1.248	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 120 / 150		TM-QP 13 UP-UPF 120 SD5H14 / SD5L14		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - "S"=SANDEN - "S" only for SD7H15 - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles - It's possible to mount the kit on vehicles with AC. In this case the AC compressor must be removed in order to fit the kit and the refrigeration compressor. - Kit not suitable for the models 2018 Combo Life and Combo Cargo 		- Can be fit in right hand drive vehicles		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles 		- Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles 	
Clutch type	<i>Without clutch pulley</i>	<i>With clutch pulley</i>	<i>Without clutch pulley</i>		<i>Without clutch pulley</i>	<i>With clutch pulley</i>	<i>Without clutch pulley</i>		<i>Without clutch pulley</i>		<i>Without clutch pulley</i>	<i>With clutch pulley</i>
	Poly-V Ø119 5.546 rpm	Poly-V 6K Ø142 4.647 rpm	2A Ø135 4.000 rpm		Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	2A Ø135 3.495 rpm		2A Ø135 3.495 rpm		Poly-V Ø119 4.100 rpm	Poly-V 8K Ø119 4.100 rpm
Kit No.	KC16090413	KC16090413E/S	KC12060282		KC13070336	KC13070336E	KC10030190		KC11050236		KC10050195	KC10050195E
Last update	2016-09-30		2013-12-19		2014-10-30		2013-12-19		2013-12-19		2019-12-03	















Vehicle model	COMBO 1.7 CDTI		VIVARO 1.5D		VIVARO 1.5D		VIVARO 2.0D		VIVARO 1.6 CDTI		VIVARO 2.0 CDTI	
Year	(2001>2005)		(2018>)		(2018>)		(09/2019>)		(2014>)		(01/2010>)	
Engine Type	Y17 (Euro 3)		DV5 (Euro 6.2)		DV5 (Euro 6.2)		DW10FE (Euro 6.2) DW10FD (Euro 6.2) DW10FC (Euro 6.2)		R9M (Euro 5b+ / Euro 6) - Single Turbo - - Twin Turbo -		M9R 630 (Euro 5) M9R 692 (Euro 5)	
CV(kW) @ rpm	65 (48) @ 4.400 75 (55) @ 4.400 100 (74) @ 4.400		100 (74) @ 3.750 120 (88) @ 3.750		100 (74) @ 3.750 120 (88) @ 3.750		120 (88) @ 3.750 150 (110) @ 3.750 180 (132) @ 3.750		90(66) / 95 (70) @ 3.500 115(85) / 120 (88) @ 3.500 120(88) / 125 (92) @ 3.500 140(103) / 145 (107) @ 3.500		90 (66) @ 3.500 115 (85) @ 3.500	
N. of cylinders/cm3	4 / 1.686		4 / 1.499		4 / 1.499		4 / 1.997		4 / 1.598		4 / 1.995	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / L14		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14	
Comments	- Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box.		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box.		- "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - Not suitable for the automatic gearbox - The kit is not suitable for vehicles 4x4 - Use tool to block the flywheel P/N 1149000412		- "E"=TM / QUE / UNICLA - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 - - Suitable on vehicles WITH optional power take off - PFMot - When PFMot option is not present please select the power take off crankshaft pulley kit P/N 1111100369		- "E"=TM / QUE / UNICLA - Not recommended in vehicles with automatic gear box. - Can be fit in right hand drive vehicles - It can't be fit in vehicles whit Start & Stop	
Clutch type	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	2A Ø135 3.520 rpm		Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 8K Ø119 2.941 rpm	Poly-V 7K Ø119 2.941 rpm
Kit No.	KC05100060		KC19020481	KC19020481E	KC19070492	KC19070492E	KC16080412	KC16080412E	KC14070369	KC14070369E	KC12120298	KC12120298E
Last update	2013-12-19		2019-08-19		2019-08-07		2020-04-23		2019-04-02		2014-06-04	



Vehicle model	VIVARO 2.0 CDTI		VIVARO 2.0 CDTI		VIVARO 1.9 CDTI		VIVARO 2.5 CDTI		MOVANO 2.3 CDTI - FWD (EURO 6D)		MOVANO 2.3 CDTI - FWD (EURO 6D)	
Year	(06/2006>)		(06/2006>)		(2001>06/2006)		(2003>)		(09/2019>)		(09/2019>)	
Engine Type	M9R 780 (Euro 4) M9R 630 (Euro 5) M9R 692 (Euro 5)		M9R 780 (Euro 4)		F9Q (Euro 3)		G9U 630 (Euro 3 / Euro 4)		M9T (Euro 6D Temp) M9T (Euro VI-D Temp)		M9T (Euro 6D Temp) M9T (Euro VI-D Temp)	
CV(kW) @ rpm	90 (66) @ 3.500 115 (85) @ 3.500		90 (66) @ 3.500 115 (85) @ 3.500		82 (60) @ 3.500 100 (74) @ 3.500		135 (99) @ 3.500 150 (110) @ 3.500		130(96) / 135 (99) @ 3.500 145(107) / 150 (110) @ 3.500 165(121) / 180 (132) @ 3.500		130(96) / 135 (99) @ 3.500 145(107) / 150 (110) @ 3.500 165(121) / 180 (132) @ 3.500	
N. of cylinders/cm3	4 / 1.995		4 / 1.995		4 / 1.870		4 / 2.464		4 / 2.298		4 / 2.298	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Must be equipped with Power take-off "V66". - Not recommended in vehicles with automatic gear box - Can be fit in right hand drive vehicles - It can't be fit in vehicles whit Start & Stop. 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles. - It can't be fit in normative Euro 5 vehicles. 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - To be mounted with special PTO option - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - For TM and UP-UPF Ø119 only Poly-V 8K - To be mounted with special PTO option - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 -. 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 4.353 rpm	Poly-V 7K Ø119 4.353 rpm	2A Ø135 3.111 rpm		Poly-V Ø119 4.265 rpm	Poly-V 8K Ø119 4.265 rpm	Poly-V Ø119 4.387 rpm	Poly-V 7K Ø119 4.387 rpm	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 8K Ø119 4.353 rpm	Poly-V 8K Ø119 4.353 rpm
Kit No.	KC06120095	KC06120095E	KC08120145		KC05100023	KC05100023E	KC05100012	KC05100012E	KC12120300	KC12120300E	KC14080372	KC14080372E
Last update	2013-12-19		2013-12-19		2019-12-03		2013-12-20		2019-12-05		2019-09-18	











Vehicle model	MOVANO 2.3 CDTI - FWD (EURO 6D)		MOVANO 2.3 CDTI - RWD (EURO 6D)		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - RWD	
Year	(09/2019>)		(09/2019>)		(2016>)		(2016>)		(2016>)		(2016>)	
Engine Type	M9T (Euro 6D Temp) M9T (Euro VI-D Temp)		M9T (Euro VI-D Temp)		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -	
CV(kW) @ rpm	130(96) / 135 (99) @ 3.500 145(107) / 150 (110) @ 3.500 165(121) / 180 (132) @ 3.500		130 (96) @ 800 145 (107) @ 800 165 (121) @ 800		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500	
N. of cylinders/cm3	4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
												
Compressors type	SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - RWD= Rear wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 -. 		<ul style="list-style-type: none"> - RWD= Rear wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	
	Poly-V 6-8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	2A Ø135 3.111 rpm		Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 6-8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 8K Ø119 4.353 rpm	Poly-V 8K Ø119 4.353 rpm	2A Ø135 3.111 rpm	
Kit No.	KC14070367	KC14070367S	KC10020189		KC12120300	KC12120300E	KC14070367	KC14070367S	KC14080372	KC14080372E	KC10020189	
Last update	2019-09-18		2019-09-18		2019-07-15		2019-08-30		2019-04-02		2019-04-02	



Vehicle model	MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD	
Year	(2014>)		(06/2010>)		(06/2010>)		(2014>)		(2014>)		(06/2010>)	
Engine Type	M9T B7 (Euro 5b+) - Twin Turbo -		M9T (Euro 4-5) M9T (Euro 5b+) - Single Turbo -		M9T (Euro 4-5)		M9T B7 (Euro 5b+) - Twin Turbo -		M9T B7 (Euro 5b+) - Twin Turbo -		M9T (Euro 4-5) M9T (Euro 5b+) - Single Turbo -	
CV(kW) @ rpm	135 (99) @ 3.500 165 (121) @ 3.500		100 (74) @ 3.500 110 (81) @ 3.500 125 (92) @ 3.500 150 (110) @ 3.500		100 (74) @ 3.500 125 (92) @ 3.500 150 (110) @ 3.500		135 (99) @ 3.500 165 (121) @ 3.500		135 (99) @ 3.500 165 (121) @ 3.500		100 (74) @ 3.500 110 (81) @ 3.500 125 (92) @ 3.500 150 (110) @ 3.500	
N. of cylinders/cm3	4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150	
Comments	<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Suitable on vehicles WITHOUT optional power take off - PFMot - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA 		<ul style="list-style-type: none"> - FWD= Front wheel drive - Not recommended in vehicles with automatic gear box. - Can be fit in right hand drive vehicles - It can't be fit in vehicles whit Start & Stop 		<ul style="list-style-type: none"> - FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 -. 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Must be equipped with Power take-off "V66". - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	2A Ø135 3.111 rpm		2A Ø135 3.059 rpm		Poly-V 8K Ø119 4.353 rpm	Poly-V 8K Ø119 4.353 rpm	Poly-V 6-8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 8K Ø119 4.353 rpm	Poly-V 7K Ø119 4.353 rpm
Kit No.	KC12120300	KC12120300E	KC10050194		KC12060277		KC14080372	KC14080372E	KC14070367	KC14070367S	KC06120095	KC06120095E
Last update	2019-07-15		2019-09-23		2013-12-20		2019-04-02		2019-08-30		2013-12-20	



Vehicle model	MOVANO 2.3 CDTI - RWD		MOVANO 2.2CDTI 2.5CDTI		MOVANO 2.5 CDTI		MOVANO 3.0 CDTI			
Year	(06/2010>)		(2001>)		(06/2006>)		(2004>)			
Engine Type	M9T (Euro 4-5) M9T / M9T B7 (Euro 5b+) - Single & Twin Turbo -		G9T G9U (Euro 3) G9U 630(Euro 4)		G9U 650 (Euro 4) G9U 632 (Euro 4)		ZD30 (Euro 3) DXi3 (Euro 4)			
CV(kW) @ rpm	100(74) / 110 (81) @ 3.500 125(92) / 135 (99) @ 3.500 150(110) / 165 (121) @ 3.500		90 (66) @ 3.600 100 (74) / 115 (85) @ 3.500 100 (74) / 120 (88) @ 3.500		100 (74) @ 3.500 120 (88) @ 3.500 150 (110) @ 3.500		136 (100) @ 3.600			
N. of cylinders/cm3	4 / 2.298		4 / 2.188 4 / 2.464		4 / 2.464		4 / 2.953			
Volts	12		12		12		12			
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge		
										
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15			
Comments	<ul style="list-style-type: none"> - RWD= Rear wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - For TM and UP-UPF Ø119 only Poly-V 8K - To be mounted with special PTO option - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be mounted with or without the PTO option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; "S"=SANDEN "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - For TM and UP-UPF Ø119 only Poly-V 8K - Engine mounted sideways - Can be fit in right hand drive vehicles 			
Clutch type	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley		
	2A Ø135 3.111 rpm		Poly-V Ø119 4.387 rpm	Poly-V 7K Ø119 4.387 rpm	Poly-V Ø119 3.529 rpm	Poly-V 8K Ø119 3.529 rpm	Poly-V Ø119 4.689 rpm	Poly-V 8K Ø157 3.554 rpm		
Kit No.	KC10020189		KC05100012	KC05100012E	KC06110090	KC06110090E	KC05100055	KC05100055E/S		
Last update	2019-04-02		2013-12-20		2019-12-03		2013-12-20			