



PEUGEOT

Vehicle model	BIPPER 1.3 HDi 75		BIPPER 1.3 HDi 75		BIPPER 1.4 HDi 70		BIPPER 1.4 HDi 70		PARTNER 1.5 BlueHDi		PARTNER 1.5 BlueHDi	
Year	(2004>)		(2004>)		(01/2008>)		(01/2008>)		(2018>)		(2018>)	
Engine Type	199 A 9000 (Euro 4) F13DTE5 (Euro 5)		199 A 9000 (Euro 4) F13DTE5 (Euro 5)		DV4 TED (Euro 4-5)		DV4 TED (Euro 4-5)		DV5 RE (Euro 6.2) DV5 RD (Euro 6.2) DV5 RC (Euro 6.2)		DV5 RE (Euro 6.2) DV5 RD (Euro 6.2) DV5 RC (Euro 6.2)	
CV(kW) @ rpm	75 (55) @ 4.000		75 (55) @ 4.000		68 (50) @ 4.000		68 (50) @ 4.000		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750	
N. of cylinders/cm3	4 / 1.248		4 / 1.248		4 / 1.399		4 / 1.399		4 / 1.499		4 / 1.499	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		SD5H09 Carrier Transicold P/N 79-60649-00		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15	
Comments	- Can be fit in right hand drive vehicles - MUFFLER option recommended		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - MUFFLER option recommended.		- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit with electrical power steering - Can be fit in right hand drive vehicles. - MUFFLER option recommended		- Only for compressor SD5H09 with special pulley Ø150 - Carrier Transicold compressor P/N 79-60649-00 - Poly-V clutch not included - MUFFLER option recommended. - Can be fit with electrical power steering		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box.		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box.	
Clutch type	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	2A Ø135 4.000 rpm		Poly-V Ø119 3.697 rpm	Poly-V 8K Ø119 3.697 rpm	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 6K Ø150 3.800 rpm		Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm
Kit No.	KC08060136		KC08090140	KC08090140E	KC08030124	KC08030124E/S	KC12090292		KC19020481	KC19020481E	KC19070492	KC19070492E
Last update	2014-09-22		2019-11-25		2013-12-20		2013-01-09		2020-03-27		2020-01-15	



PEUGEOT

Vehicle model	PARTNER 2018 1.6 BlueHDi 75 1.6 BlueHDi 100 1.6 BlueHDi 120		PARTNER 1.6 BlueHDi 75 1.6 BlueHDi 100 1.6 BlueHDi 120		PARTNER 1.6 HDi		PARTNER 1.6 HDi		PARTNER 2.0HDi		EXPERT 1.5 BlueHDi	
Year	(2018>)		(2016)		(01/2007>)		(01/2007>)		(01/2003>)		(2018>)	
Engine Type	DV6 (Euro 6.1)		DV6 (Euro 6.1)		DV6 ATED4 (Euro 4-5)		DV6 ATED4 (Euro 4-5-6.1)		DW10		DV5 (Euro 6.2)	
CV(kW) @ rpm	75 (55) @ 4.000 100 (74) @ 4.000 120 (88) @ 4.000		75 (55) @ 4.000 100 (74) @ 4.000 120 (88) @ 4.000		75 (55) @ 4.000 90 (66) @ 4.000 100 (74) @ 4.000 120 (88) @ 4.000		75 (55) @ 4.000 90 (66) @ 4.000 100 (74) @ 4.000 120 (88) @ 4.000		90 (66) @ 4.000		100 (74) @ 3.750 120 (88) @ 3.750	
N. of cylinders/cm3	4 / 1.560		4 / 1.560		4 / 1.560		4 / 1.560		4 / 1.997		4 / 1.499	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD7H15 / SD7L15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		SD5H09 Carrier Transicold P/N 79-60649-00		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A) - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - MUFFLER option recommended 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit with electrical power steering - Can be fit in right hand drive vehicles. - MUFFLER option recommended 		<ul style="list-style-type: none"> - Only for compressor SD5H09 with special pulley Ø150 - Carrier Transicold compressor P/N 79-60649-00 - Poly-V clutch not included - MUFFLER option recommended. - Can be fit with electrical power steering 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - When the vehicle is not equipped with the a/c sump, the sump P/N 115500029 must be ordered separately - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	Without clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 6K Ø150 3.800 rpm	Poly-V Ø119 5.914 rpm	Poly-V 6K Ø142 4.956 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm
Kit No.	KC18100470	KC18100470E	KC16060408	KC16060408E/S	KC08030124	KC08030124E/S	KC12090292	KC05100031	KC05100031E/S	KC19020481	KC19020481E	
Last update	2019-04-05		2016-09-14		2013-12-20		2013-01-09		2013-12-20		2019-08-19	



PEUGEOT

Vehicle model	EXPERT 1.5 BlueHDi		EXPERT 2.0 BlueHDi		EXPERT 1.6 BlueHDi		EXPERT 1.6 BlueHDi		EXPERT 2.0 BlueHDi		EXPERT 1.6 HDi	
Year	(2018>)		(09/2019>)		(09/2016>)		(09/2016>)		(09/2016>)		(02/2007>)	
Engine Type	DV5 (Euro 6.2)		DW10FE (Euro 6.2) DW10FD (Euro 6.2) DW10FC (Euro 6.2)		DV6FDU (Euro 6) DV6FCU (Euro 6)		DV6FDU (Euro 6) DV6FCU (Euro 6)		DW10FE (Euro 6) DW10FD (Euro 6)		DV6 UTED 4 (Euro 4-5)	
CV(kW) @ rpm	100 (74) @ 3.750 120 (88) @ 3.750		120 (88) @ 3.750 150 (110) @ 3.750 180 (132) @ 3.750		95 (70) @ 3.750 115 (85) @ 3.750		95 (70) @ 4.000 115 (85) @ 4.000		120 (88) @ 3.750 150 (110) @ 3.750		90 (66) @ 4.000	
N. of cylinders/cm3	4 / 1.499		4 / 1.997		4 / 1.560		4 / 1.560		4 / 1.997		4 @ 1.560	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - Not suitable for the automatic gearbox - The kit is not suitable for vehicles 4x4 - Use tool to block the flywheel P/N 1149000412 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles. - KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A) - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A) 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - Not suitable for the automatic gearbox - The kit is not suitable for vehicles 4x4 - Use tool to block the flywheel P/N 1149000412 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - UNICLA: Clutch drive plate Ø120 not suitable. - Can be fit with electrical power steering - Can be fit in right hand drive vehicles. - Kit not suitable in vehicles with steel crankshaft pulley ref. 9810714580 / 126011 Check in the Service Bulletin SB15050026 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	With clutch pulley	
	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8K Ø119 3.136 rpm	Poly-V 8PK Ø119 3.136 rpm	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 6K Ø125 3.136 rpm	
Kit No.	KC19070492	KC19070492E	KC16080412	KC16080412E	KC16070411	KC16070411E	KC16060408	KC16060408E/S	KC16080412	KC16080412E	KC12050270E	
Last update	2019-08-07		2020-04-23		2016-10-28		2016-09-14		2020-04-23		2013-12-20	



PEUGEOT

Vehicle model	EXPERT 1.6 HDi		EXPERT 1.6 HDi		EXPERT 1.9D		EXPERT 2.0 HDi 163 FAP 2.0 HDi 130 FAP		EXPERT 2.0 HDi 163 FAP 2.0 HDi 130 FAP		EXPERT 2.0 HDi 163 FAP 2.0 HDi 130 FAP	
Year	(02/2007>)		(02/2007>)		(1999>)		(07/2010>)		(07/2010>)		(07/2010>)	
Engine Type	DV6 UTED 4 (Euro 4-5)		DV6 UTED 4 (Euro 4-5)		DW8		DW10CTED4 (Euro 5) DW10CD (Euro 5)		DW10CTED4 (Euro 5) DW10CD (Euro 5)		DW10CTED4 (Euro 5) DW10CD (Euro 5)	
CV(kW) @ rpm	90 (66) @ 4.000		90 (66) @ 4.000		71 (52) @ 4.600		163 (120) @ 3.750 128 (94) @ 3.500		163 (120) @ 3.750 128 (94) @ 3.500		163 (120) @ 3.750 128 (94) @ 3.500	
N. of cylinders/cm3	4 @ 1.560		4 @ 1.560		4 / 1.867		4 / 1.997		4 / 1.997		4 / 1.997	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		SD5H09 Carrier Transicold P/N 79-60649-00		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15		TM-QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		SD5H09 Carrier Transicold P/N 79-60649-00	
Comments	- "E"=TM-UNICLA;"S"=SANDEN. - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit with electrical power steering - Can be fit in right hand drive vehicles.		- Only for compressor SD5H09 with special pulley Ø150 - Carrier Transicold compressor P/N 79-60649-00 - Poly-V clutch not included - Can be fit with electrical power steering		- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15. - When the vehicle is not equipped with the a/c sump, the sump P/N 115500029 must be ordered separately - Can be fit in right hand drive vehicles		- "E"=TM-UNICLA - UNICLA: Clutch drive plate Ø120 not suitable. - Can be fit in right hand drive vehicles - Suitable for vehicles equipped with automatic gear box		- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles.		- Only for compressor SD5H09 with special pulley Ø150 - Carrier Transicold compressor P/N 79-60649-00 - Poly-V clutch not included	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		With clutch pulley		With clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	
	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 6K Ø150 3.800 rpm		Poly-V 6K Ø142 4.920 rpm		Poly-V 6K Ø125 3.000 rpm		Poly-V Ø119 4.790 rpm	Poly-V 8K Ø157 3.630 rpm	Poly-V 6K Ø150 3.800 rpm	
Kit No.	KC08030124	KC08030124E/S	KC12090292		KC05100033E/S		KC10110207E		KC11100248	KC11100248E/S	KC12090291	
Last update	2012-06-22		2013-01-09		2013-12-20		2015-01-27		2014-10-01		2012-11-23	



PEUGEOT



OLIVA TORRAS
MOUNT & DRIVE KITS

Vehicle model	EXPERT 2.0HDi		EXPERT 2.0 HDi 120 2.0 HDi 140 FAP		EXPERT 2.0 HDi 120 2.0 HDi 140 FAP		BOXER 2.2 BlueHDi		BOXER 2.2 BlueHDi		BOXER 2.2 BlueHDi	
Year	(2004>2006)		(02/2007>)		(02/2007>)		(09/2019>)		(09/2019>)		(09/2019>)	
Engine Type	DW10		DW 10 UTED 4 (Euro 4) DW 10 BTED 4 (Euro 4)		DW 10 UTED 4 (Euro 4) DW 10 BTED 4 (Euro 4)		DW12 RU (Euro 6.2)		DW12 RU (Euro 6.2)		DW12 RU (Euro 6.2)	
CV(kW) @ rpm	95 (70) @ 4.000 110 (81) @ 4.000		122 (90) @ 4.000 138 (101) @ 4.000		122 (90) @ 4.000 138 (101) @ 4.000		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750	
N. of cylinders/cm3	4 / 1.997		4 / 1.997		4 / 1.997		4 / 2.179		4 / 2.179		4 / 2.179	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD7H15		TM-QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - "S"=SANDEN - "S" only for SD7H15. - When the vehicle is not equipped with the a/c sump, the sump P/N 1155000029 must be ordered separately - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø 119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - UNICLA: Clutch drive plate Ø 120 not suitable. - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Use tool to block the flywheel P/N 1149000412 - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Kit with independent belt for the refrigeration compressor - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø 119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 	
Clutch type	With clutch pulley		Without clutch pulley	With clutch pulley	With clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 6K Ø 142 4.920 rpm		Poly-V Ø 119 5109 rpm	Poly-V 6K Ø 142 4282 rpm	Poly-V 6K Ø 125 3.200 rpm		Poly-V Ø 119 3.150 r.p.m.	Poly-V 8K Ø 119 3.150 r.p.m.	Poly-V 8K Ø 119 3.150 r.p.m.	Poly-V 8K Ø 119 3.150 r.p.m.	Poly-V 8K Ø 119 4.790 r.p.m.	Poly-V 8K Ø 119 4.790 r.p.m.
Kit No.	KC05100035E/S		KC07030105	KC07030105E/S	KC08040132E		KC15050390	KC15050390E	KC17070438	KC17070438E	KC15060391	KC15060391E
Last update	2013-12-20		2013-12-20		2014-10-13		2019-07-19		2019-09-16		2019-09-16	



PEUGEOT

Vehicle model	BOXER 2.0 BlueHDi		BOXER 2.0 BlueHDi		BOXER 2.0 BlueHDi		BOXER 2.2 HDi		BOXER 2.2 HDi		BOXER 2.2 HDi	
Year	(09/2016>)		(09/2016>)		(09/2016>)		(2014>)		(2014>)		(2014>)	
Engine Type	DW10 FUE (Euro 6) DW10 FUD (Euro 6) DW10 FUC (Euro 6)		DW10 FUE (Euro 6) DW10 FUD (Euro 6) DW10 FUC (Euro 6)		DW10 FUE (Euro 6) DW10 FUD (Euro 6) DW10 FUC (Euro 6)		4 H6 (Euro 5b+) 4 HH (Euro 5b+) 4 HJ (Euro 5b+)		4 H6 (Euro 5b+) 4 HH (Euro 5b+) 4 HJ (Euro 5b+)		4 H6 (Euro 5b+) 4 HH (Euro 5b+) 4 HJ (Euro 5b+)	
CV(kW) @ rpm	110 (81) @ 3.750 130 (96) @ 3.750 163 (120) @ 3.750		110 (81) @ 3.750 130 (96) @ 3.750 163 (120) @ 3.750		110 (81) @ 3.750 130 (96) @ 3.750 163 (120) @ 3.750		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500	
N. of cylinders/cm3	4 / 1.997		4 / 1.997		4 / 1.997		4 / 2.198		4 / 2.198		4 / 2.198	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		CS55	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Use tool to block the flywheel P/N 1149000412 - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Kit with independent belt for the refrigeration compressor - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	
	Poly-V Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V 8K Ø119 4.790 r.p.m.	Poly-V 8K Ø119 4.790 r.p.m.	2A Ø135 3.530 rpm		2A Ø135 3.530 rpm		1B Ø119 5.147 rpm	
Kit No.	KC15050390	KC15050390E	KC17070438	KC17070438E	KC15060391	KC15060391E	KC12030266		KC06090084		KC11040223	
Last update	2019-05-02		2019-08-28		2016-09-08		2015-02-05		2015-02-05		2015-02-05	



PEUGEOT



OLIVA TORRAS
MOUNT & DRIVE KITS

Vehicle model	BOXER 3.0 HDi		BOXER 3.0 HDi		BOXER 2.0HDi 2.2HDi		BOXER 2.2 HDi		BOXER 2.2 HDi		BOXER 2.2 HDi	
Year	(2014>)		(2014>)		(07/2004>)		(12/2011>)		(12/2011>)		(07/2006>)	
Engine Type	F1C (Euro 5b+)		F1C (Euro 5b+)		DW10TD (Euro 3) DW12TED (Euro 3)		4 H6(Euro 5) 4 HH(Euro 5) 4 HJ(Euro 5)		4 H6(Euro 5) 4 HH(Euro 5) 4 HJ(Euro 5)		4 HV(Euro 4) 4 HU(Euro 4)	
CV(kW) @ rpm	180 (132) @ 3.500		180 (132) @ 3.500		85 (62) @ 4.000 100 (74) @ 4.000		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500		100 (74) @ 2.900 120 (88) @ 3.500	
N. of cylinders/cm3	4 / 2.999		4 / 2.999		4 / 1.997 4 / 2.178		4 / 2.198		4 / 2.198		4 / 2.198	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		CS55		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	- Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - To install this kit it is essential to use the special tool code P/N 1140000155 - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Applicable only when the power steering pump is located rear the engine (driven with an independent belt), not above the alternator - Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles	
Clutch type	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	
	2A Ø135 3.680 rpm		Poly-V Ø119 4.039 rpm	Poly-V 8K Ø119 4.039 rpm	Poly-V Ø119 5.210 rpm	Poly-V 6K Ø142 4.366 rpm	2A Ø135 3.530 rpm		1B Ø119 5.147 rpm		2A Ø135 3.530 rpm	
Kit No.	KC07030104		KC09030155	KC09030155E	KC05100015	KC05100015E/S	KC12030266		KC11040223		KC07040108	
Last update	2015-02-05		2019-11-25		2013-12-20		2013-12-20		2013-08-08		2013-12-20	



PEUGEOT

Vehicle model	BOXER 2.2 HDi		BOXER 2.5D 2.5TDi		BOXER 2.8HDi		BOXER 3.0 HDi 160 3.0 HDi 180		BOXER 3.0 HDi 160 3.0 HDi 180		
Year	(07/2006>)		(1996>)		(2000>)		(06/2006>)		(06/2006>)		
Engine Type	4 HV / HU (Euro 4) 4 H6 / HH / HJ (Euro 5)		DJ5 DJ5T		8140.43		F1C (Euro 4-5)		F1C (Euro 4-5)		
CV(kW) @ rpm	100 (74) / 110 (81) @ 2.900 120 (88) / 130 (96) @ 3.500 150 (110) @ 3.500		86 (63) @ 4.350 110 (81) @ 4.000		127 (93) @ 3.600		157 (115) @ 3.600 177 (130) @ 3.500		157 (115) @ 3.600 177 (130) @ 3.500		
N. of cylinders/cm3	4 / 2.198		4 / 2.446		4 / 2.798		4 / 2.999		4 / 2.999		
Volts	12		12		12		12		12		
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		
Comments	- Can be fit in right hand drive vehicles		- Applicable from chassis 152369000 - Brake exhauster camshaft driven - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - To install this kit it is essential to use the special tool code P/N 1140000155 - Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		
	2A Ø135 3.530 rpm		2A Ø135 3.385 rpm		Poly-V Ø119 2.874 rpm	Poly-V 8K Ø119 2.874 rpm	Poly-V Ø119 4.039 rpm	Poly-V 8K Ø119 4.039 rpm	2A Ø135 3.680 rpm		
Kit No.	KC06090084		KC05100037		KC05100011	KC05100011E	KC09030155	KC09030155E	KC07030104		
Last update	2013-12-18		2013-12-20		2019-11-22		2019-11-25		2013-12-20		