















Vehicle model	CADDY 2.0 TDi		CADDY 2.0 TDi		CADDY 1.6 TDi		CADDY 2.0 TDi		CADDY 1.9 TDi		CADDY 2.0 SDi	
Year	(2015>)		(2015>)		(08/2010>)		(08/2010>)		(2006>)		(2004)	
Engine Type	TDI 2.0 BMT EA288 - Euro 6		TDI 2.0 BMT EA288 - Euro 6		CAYE CAYD (Euro 5)		CLCA CFHC (Euro 5)		BLS (Euro 4)		BDJ (Euro 3)	
CV(kW) @ rpm	102 (75) @ 4.000 122 (90) @ 4.000 150 (110) @ 4.000		102 (75) @ 4.000 122 (90) @ 4.000 150 (110) @ 4.000		75 (55) @ 4.000 102 (75) @ 4.400		110 (81) @ 4.200 140 (103) @ 4.200		105 (77) @ 4.000		70 (51) @ 4.200	
N. of cylinders/cm3	4 / 1.968		4 / 1.968		4 / 1.598		4 / 1.968		4 / 1.896		4 / 1.968	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM-QP 13 / 15 UP-UPF 120 / 150 SD5H14		TM-QP 13 / 15 UP-UPF 120 / 150 SD5H14		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> - "E"=TM-UNICLA - Can be fit in right hand drive vehicles - Cannot be fit in vehicles with DSG automatic gear box - Cannot be fit on all wheel drive vehicles AWD - Vehicles with 6 speed manual gear box, consult with Aftersales Department 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - Can be fit in right hand drive vehicles - Can be fit in vehicles with DSG automatic gear box - Can be fit on all wheel drive vehicles AWD 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - UNICLA: Clutch drive plate Ø120 not suitable. - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - UNICLA: Clutch drive plate Ø120 not suitable. - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM-UNICLA;"S"=SANDEN. - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM-UNICLA;"S"=SANDEN. - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles 	
Clutch type	Without clutch pulley	With clutch pulley	With clutch pulley		With clutch pulley		With clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V Ø119 3.361 rpm	Poly-V 8K Ø119 3.361 rpm	Poly-V 6K Ø125 4.416 rpm		Poly-V 6K Ø125 4.416 rpm		Poly-V 6K Ø125 4.637 rpm		Poly-V Ø119 4.672 rpm	Poly-V 6K Ø142 3.915 rpm	Poly-V Ø119 4.706 rpm	Poly-V 6K Ø157 3.567 rpm
Kit No.	KC171110445	KC171110445E	KC171110443E		KC11050230E		KC11050230E		KC09030150	KC09030150E/S	KC05100067	KC05100067E/S
Last update	2019-04-12		2018-01-23		2012-07-26		2012-07-26		2009-10-26		2009-06-11	





Vehicle model	TRANSPORTER T6 TDI 2.0		TRANSPORTER T5 TDI 2.0		TRANSPORTER T5 TDI 2.0		TRANSPORTER T5 TDI 2.0		TRANSPORTER T5 TDI 2.0		TRANSPORTER T5 1.9 TDi	
Year	(2015-09/2019)		(2010>)		(2010>)		(2010>)		(2010>)		(2003>)	
Engine Type	TDI 2.0 BMT EA288 - Euro 6		TDI 2.0 EA189 - Euro 5 / Euro 5b+		TDI 2.0 EA189 - Euro 5 / Euro 5b+		TDI 2.0 EA189 - Euro 5 / Euro 5b+		TDI 2.0 EA189 - Euro 5 / Euro 5b+		86TDI(AXB) - Euro 3 104TDI(AXB) - Euro 3	
CV(kW) @ rpm	84 (62) @ 3.500 102 (75) @ 3.500 150 (110) @ 3.500 204 (150) @ 3.500		140 (103) @ 3.500		84 (62) @ 3.500 102 (75) @ 3.500 114 (84) @ 3.500		140 (103) @ 3.500		84 (62) @ 3.500 102 (75) @ 3.500 114 (84) @ 3.500		86 (63) @ 3.500 104 (76) @ 3.500	
N. of cylinders/cm3	4 / 1.968		4 / 1.968		4 / 1.968		4 / 1.968		4 / 1.968		4 / 1.896	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
												
Compressors type	TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM-QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM-QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM-QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 UP-UPF 120 / 150	
Comments	<ul style="list-style-type: none"> - "E"=TM-UNICLA - Can be fit in right hand drive vehicles - Can be fit on all wheel drive vehicles AWD - Can be fit in vehicles with DSG automatic gear box - KIT NOT SUITABLE FOR VW T6.1 <p>- It's possible to mount the kit on vehicles with AC. In this case the AC compressor must be removed in order to fit the kit and the refrigeration compressor.</p>		<ul style="list-style-type: none"> - "E"=TM-UNICLA - Only for vehicles with 6 speeds gear manual box - Can be fit in right hand drive vehicles - Can be fit on all wheel drive vehicles AWD 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - Only for vehicles with 5 speeds gear manual box - Can be fit in right hand drive vehicles - Can be fit on all wheel drive vehicles AWD 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - Only for vehicles with 6 speeds gear manual box - Can be fit in right hand drive vehicles - Can be fit on all wheel drive vehicles AWD 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - Only for vehicles with 5 speeds gear manual box - Can be fit in right hand drive vehicles - Can be fit on all wheel drive vehicles AWD 		<ul style="list-style-type: none"> - "E"=TM-UNICLA - Can be fit in right hand drive vehicles 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	With clutch pulley	
	Poly-V Ø119 4.058 rpm	Poly-V 8K Ø119 4.058 rpm	Poly-V Ø119 2.875 rpm	Poly-V 7K Ø119 2.875 rpm	Poly-V Ø119 2.875 rpm	Poly-V 7K Ø119 2.875 rpm	Poly-V Ø119 2.875 rpm	Poly-V 7K Ø119 2.875 rpm	Poly-V Ø119 2.875 rpm	Poly-V 7K Ø119 2.875 rpm	Poly-V 6K Ø125 3.880 rpm	
Kit No.	KC15110405	KC15110405E	KC10010188	KC10010188E	KC10040191	KC10040191E	KC10070197	KC10070197E	KC10070198	KC10070198E	KC05100068E	
Last update	2019-09-13		2013-09-27		2014-03-28		2012-12-12		2014-03-28		2008-09-08	



Vehicle model	LT 28 TDi 35 TDi 46 TDi		LT 28 TDi 35 TDi 46 TDi		CRAFTER 2.0 TDI CR30 / CR35 - FWD		CRAFTER 2.0 TDI CR35 / CR50 - RWD		CRAFTER 30 / 35 / 50		CRAFTER 30 / 35 / 50	
Year	(09/1999>)		(09/1999>)		(2017>)		(2017>)		(06/2011>12/2016)		(06/2011>12/2016)	
Engine Type	AGX (Euro 3)		MWM (Euro 3)		2.0 TDI EA288 (Euro 6)		2.0 TDI EA288 (Euro 6)		TDI 2.0 CKTB (Euro 5/Euro 6) TDI 2.0 CKTC (Euro 5/Euro 6) BiTDI 2.0 CKUC (Euro 5/Euro 6) BiTDI 2.0 CKUB (Euro 5/Euro 6)		TDI 2.0 CKTB (Euro 5/Euro 6) TDI 2.0 CKTC (Euro 5/Euro 6) BiTDI 2.0 CKUC (Euro 5/Euro 6) BiTDI 2.0 CKUB (Euro 5/Euro 6)	
CV(kW) @ rpm	95 (70) @ 3.500 109 (80) @ 3.500		158 (116) @ 3.500		102 (75) @ 3.600 140 (103) @ 3.600 177 (130) @ 3.600		122 (90) @ 3.600 140 (103) @ 3.600 177 (130) @ 3.600		109 (80) @ 3.500 136 (100) @ 3.500 142 (104) @ 3.500 163 (120) @ 3.500		109 (80) @ 3.500 136 (100) @ 3.500 142 (104) @ 3.500 163 (120) @ 3.500	
N. of cylinders/cm3	5 / 2.461		4 / 2.799		4 / 1.968		4 / 1.968		4 / 1.968		4 / 1.968	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 SD5L14 / SD7L15		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 SD5L14 / SD7L15		QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 SD5L14 / SD7L15		QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 SD5L14 / SD7L15		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 SD5L14 / SD7L15		CS55	
Comments	- Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA; - FWD= Front wheel drive - Can be fit in right hand drive vehicles. - VW RECOMMENDS TO USE THE CRANKSHAFT PULLEY 04L105251K. - When vehicle is not equipped with this crankshaft pulley, order the reference P/N 1111100437 - Original options KFG and IS2 are required. - The kit is suitable for vehicles 4x4 - Suitable for vehicles with automatic gear box		- "E"=TM / QUE / UNICLA; - RWD= Rear wheel drive - Can be fit in right hand drive vehicles. - VW RECOMMENDS TO USE THE CRANKSHAFT PULLEY 04L105251L. - When vehicle is not equipped with this crankshaft pulley, order the reference P/N 1111100453 - Original options KFG and IS2 are required. - Suitable for vehicles with automatic gear box		- Can be fit in right hand drive vehicles. - Kit not suitable for the model 2017. Check SB17020028		- Can be fit in right hand drive vehicles. - Kit not suitable for the model 2017. Check SB17020028	
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	
	2A Ø135 2.850 rpm		2A Ø135 3.500 rpm		Poly-V 8k Ø119 4.175 rpm	Poly-V 8k Ø119 4.175 rpm	Poly-V 8K Ø119 4.175 rpm	Poly-V 8k Ø119 4.175 rpm	2A Ø135 3.111 rpm		1B Ø110 5.918 rpm	
Kit No.	KC05100013		KC05100014		KC17060437	KC17060437E	KC18020453	KC18020453E	KC11060237		KC12090290	
Last update	2006-06-01		2006-06-01		2020-03-27		2019-11-06		2014-11-14		2014-11-05	



Vehicle model	CRAFTER 30 / 35 / 50					
Year	(06/2006>)					
Engine Type	BJJ / BJK (Euro 4) BJL / BJM (Euro 4)					
CV(kW) @ rpm	88 (65) / 109 (80) @ 3.500 136 (100) / 163 (120) @ 3.500					
N. of cylinders/cm3	5 / 2.459					
Volts	12					
Air Conditioning	Vehicles with or without A/C					
Recommended fittings	Suction	Discharge				
						
Compressors type	TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 SD5L14 / SD7L15					
Comments	<ul style="list-style-type: none"> - The vehicle does not have to be equipped with the option take off 2AB. - Can be fit in right hand drive vehicles 					
Clutch type	Without clutch pulley					
	2A Ø135 3.295 rpm					
Kit No.	KC07020102					
Last update	2013-04-03					